

PMC-EF2a

(2.04.02)

**U.S. DEPARTMENT OF ENERGY
EERE PROJECT MANAGEMENT CENTER
NEPA DETERMINATION**



RECIPIENT: Illinois Department of Commerce & Economic Opportunity

STATE: IL

PROJECT

TITLE :

Champaign Unit 4 School District; Westview Elementary School - GSHP Project

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
DE-FOA-0000052	EE0000119		EE119

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

B5.1 Actions to conserve energy, demonstrate potential energy conservation, and promote energy-efficiency that do not increase the indoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, designers), organizations (such as utilities), and state and local governments. Covered actions include, but are not limited to: programmed lowering of thermostat settings, placement of timers on hot water heaters, installation of solar hot water systems, installation of efficient lighting, improvements in generator efficiency and appliance efficiency ratings, development of energy-efficient manufacturing or industrial practices, and small-scale conservation and renewable energy research and development and pilot projects. The actions could involve building renovations or new structures in commercial, residential, agricultural, or industrial sectors. These actions do not include rulemakings, standard-settings, or proposed DOE legislation.

Rational for determination:

The State of Illinois will provide \$144,000 in Recovery Act funds to Champaign Unit 4 School District to install a vertical closed-loop ground source heat pump (GSHP) system in the Westview Elementary School. Engineers estimate that the system will have a capacity of 144 tons, sufficient to replace the existing unit ventilator and boiler system.

The borefield will be on school grounds. The grounds consist of lawns in close proximity to schools in an urban environment. Work shall include backfilling, soil compaction, seeding, and general restorations to previous conditions.

The system will require an estimated 140 to 215 bore holes drilled to a depth of 275 feet. The work will be conducted by a state licensed and/or certified driller. The boreholes will be grouted in a thermally enhanced bentonite grout designed to withstand cracking from the changes in temperature, will employ high density polyethylene pipe that is heat fused at the joints to minimize the risk of leaks, and will use a refrigerant consisting of a non-toxic potable water/propylene glycol solution.

Construction permits will be submitted to the Regional Office of Education (ROE) for Champaign County. All waste materials will be disposed in accordance with applicable regulations. Analyses of the area indicate an absence of surface and/or subsurface hydrology. The surrounding residential drinking water supply is municipally provided by Illinois American Water.

Based on the information provided by the State and recipient, the work outlined is consistent with activities identified in Categorical Exclusion B5.1.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

Insert the following language in the award:

You are required to:

Provide the DOE project officer with the findings of the test bores to be drilled in the affected area.

Note to Specialist :

According to the project officer, funding for this project is \$144,000. Unless there is a significant change in the scope of this effort, a change in funding will not affect my determination.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature: _____
NEPA Compliance Officer

Date: 5/20/10

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____
Field Office Manager

Date: _____