

PMC-EF2a

(2.04.02)

U.S. DEPARTMENT OF ENERGY
EERE PROJECT MANAGEMENT CENTER
NEPA DETERMINATION



RECIPIENT:Montgomery County, Ohio - Board of County Commissioners

STATE: OH

PROJECT TITLE : Montgomery County ARRA-EECBG - Act 1 (County Retrofits - Madison Lakes Park Geothermal)

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
DE-EE0000711	DE-EE0000711	GFO-0000711-002	0

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

B5.1 Actions to conserve energy, demonstrate potential energy conservation, and promote energy-efficiency that do not increase the indoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, designers), organizations (such as utilities), and state and local governments. Covered actions include, but are not limited to: programmed lowering of thermostat settings, placement of timers on hot water heaters, installation of solar hot water systems, installation of efficient lighting, improvements in generator efficiency and appliance efficiency ratings, development of energy-efficient manufacturing or industrial practices, and small-scale conservation and renewable energy research and development and pilot projects. The actions could involve building renovations or new structures in commercial, residential, agricultural, or industrial sectors. These actions do not include rulemakings, standard-settings, or proposed DOE legislation.

Rational for determination:

Montgomery County is proposing to use EECBG ARRA funding to install a ground source heat pump system that will serve the heating and cooling needs at the Madison Lakes Park - Learning & Conference Center. The ground source heat pump system will be a vertical, closed loop system with a capacity of 16 tons. There will be 8 boreholes needed, drilled to a depth of 300ft. The state certified and licensed driller will follow IGSHPA and NGWA regulations during installation. The system will use HDPE piping that is heat fused and all wells will be fully grouted with a thermally enhanced bentonite grout. The refrigerant used in the system will be a non-toxic, food grade propylene glycol and water mixture. Drilling spoils are the only expected waste from the project and will be re-used on-site when possible or taken to the appropriate landfill. Fencing will be installed around the drilling site during installation. The site will be re-seeded with native grass.

The geothermal well field portion of the installation will occur in a large, open grass area, to the north of the Conference Center across a paved driveway, which is mowed/maintained on a regular basis. The proposed project location is an old limestone quarry for which most of the area was previously disturbed. The area surrounding the project location consists of lightly developed residential and agricultural fields. The area where the geothermal wells will be installed does not drain directly to any lakes or streams in the area. The geothermal piping in the wells will be grouted in place and should not affect any groundwater that is encountered. There are not expected to be any adverse effects to threatened and endangered species, wetlands, floodplains, or cultural resources as a result of the proposed project as these resources are not present.

After a thorough review of the information submitted for the proposed project, it has been determined that the actions involved will not have a significant impact to human health and /or the environment. The proposed project will result in a reduction in the use of conventional fossil fuels; therefore it is hereby Categorical Excluded B5.1 "actions to conserve energy," from further NEPA review.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

Note to Specialist :

EF2a completed by Logan Sholar

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature: _____


NEPA Compliance Officer

Date: _____

4/4/11

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____

Field Office Manager

Date: _____