

PMC-EF2a

(20102)

**U.S. DEPARTMENT OF ENERGY
EERE PROJECT MANAGEMENT CENTER
NEPA DETERMINATION**



RECIPIENT: Ohio Department of Development's Office of Energy

STATE: OH

PROJECT TITLE : RECOVERY ACT STATE ENERGY PROGRAM AWARD FOR THE STATE OF OHIO - REVOLVING LOAN FUND

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
DE-FOA-000052	DE-EE0000165	GFO-0000165-040	GO

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

- | | |
|---|--|
| A9 Information gathering, analysis, and dissemination | Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.) |
| A11 Technical advice and assistance to organizations | Technical advice and planning assistance to international, national, state, and local organizations. |
| B1.31 Installation or relocation of machinery and equipment | Installation or relocation and operation of machinery and equipment (including, but not limited to, laboratory equipment, electronic hardware, manufacturing machinery, maintenance equipment, and health and safety equipment), provided that uses of the installed or relocated items are consistent with the general missions of the receiving structure. Covered actions include modifications to an existing building, within or contiguous to a previously disturbed or developed area, that are necessary for equipment installation and relocation. Such modifications would not appreciably increase the footprint or height of the existing building or have the potential to cause significant changes to the type and magnitude of environmental impacts. |
| B1.32 Traffic flow adjustments | Traffic flow adjustments to existing roads (including, but not limited to, stop sign or traffic light installation, adjusting direction of traffic flow, and adding turning lanes), and road adjustments (including, but not limited to, widening and realignment) that are within an existing right-of-way and consistent with approved land use or transportation improvement plans. |
| B1.35 Drop-off, collection, and transfer facilities for recyclable materials | Siting, construction, modification, and operation of recycling or compostable material drop-off, collection, and transfer stations on or contiguous to a previously disturbed or developed area and in an area where such a facility would be consistent with existing zoning requirements. The stations would have appropriate facilities and procedures established in accordance with applicable requirements for the handling of recyclable or compostable materials and household hazardous waste (such as paint and pesticides). |
| B2.1 Workplace enhancements | Modifications within or contiguous to an existing structure, in a previously disturbed or developed area, to enhance workplace habitability (including, but not limited to, installation or improvements to lighting, radiation shielding, or heating/ventilating/air conditioning and its instrumentation, and noise reduction). |
| B2.2 Building and equipment instrumentation | Installation of, or improvements to, building and equipment instrumentation (including, but not limited to, remote control panels, remote monitoring capability, alarm and surveillance systems, control systems to provide automatic shutdown, fire detection and protection systems, water consumption monitors and flow control systems, announcement and emergency warning systems, criticality and radiation monitors and alarms, and safeguards and security equipment). |
| B5.1 Actions to conserve energy or water | (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as |

traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

- B5.14 Combined heat and power or cogeneration systems** Conversion to, replacement of, or modification of combined heat and power or cogeneration systems (the sequential or simultaneous production of multiple forms of energy, such as thermal and electrical energy, in a single integrated system) at existing facilities, provided that the conversion, replacement, or modification would not have the potential to cause a significant increase in the quantity or rate of air emissions and would not have the potential to cause significant impacts to water resources.
- B5.16 Solar photovoltaic systems** The installation, modification, operation, and removal of commercially available solar photovoltaic systems located on a building or other structure (such as rooftop, parking lot or facility, and mounted to signage, lighting, gates, or fences), or if located on land, generally comprising less than 10 acres within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.
- B5.17 Solar thermal systems** The installation, modification, operation, and removal of commercially available smallscale solar thermal systems (including, but not limited to, solar hot water systems) located on or contiguous to a building, and if located on land, generally comprising less than 10 acres within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.
- B5.18 Wind turbines** The installation, modification, operation, and removal of a small number (generally not more than 2) of commercially available wind turbines, with a total height generally less than 200 feet (measured from the ground to the maximum height of blade rotation) that (1) are located within a previously disturbed or developed area; (2) are located more than 10 nautical miles (about 11.5 miles) from an airport or aviation navigation aid; (3) are located more than 1.5 nautical miles (about 1.7 miles) from National Weather Service or Federal Aviation Administration Doppler weather radar; (4) would not have the potential to cause significant impacts on bird or bat populations; and (5) are sited or designed such that the project would not have the potential to cause significant impacts to persons (such as from shadow flicker and other visual effects, and noise). Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices. Covered actions include only those related to wind turbines to be installed on land.
- B5.19 Ground source heat pumps** The installation, modification, operation, and removal of commercially available smallscale ground source heat pumps to support operations in single facilities (such as a school or community center) or contiguous facilities (such as an office complex) (1) only where (a) major associated activities (such as drilling and discharge) are regulated, and (b) appropriate leakage and contaminant control measures would be in place (including for cross-contamination between aquifers); (2) that would not have the potential to cause significant changes in subsurface temperature; and (3) would be located within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.

Rational for determination:

The U.S. Department of Energy (DOE) provided federal funding to the Ohio Department of Development-Office of Energy under the American Recovery and Reinvestment Act of 2009 State Energy Program (SEP). The Ohio Department of Development-Office of energy proposes to use \$30,883,238.84 of SEP funding for its "Ohio Revolving Loan Fund (RLF)," which will be administered by the Department of Development-Office of Energy.

The RLF would provide low-interest loans to eligible local governments, small businesses, manufacturers, and non-profit organizations and would fund energy efficiency and renewable energy projects. Activities funded by the Loan would be consistent with the activities in the uploaded and signed Templates.

Previous NEPA determinations under this award and for similar activities include GFO-09-142-002 (B5.1; 12-16-2009) and GFO-09-142-003 (A9, A11, B5.1; 12-16-2009).

Any projects that fall outside of the scope of the Template are conditioned pending further NEPA review.

The following types of projects are consistent with the Template:

- Energy efficiency retrofits and development of energy efficiency and conservation programs;
- Development and implementation of building codes and inspections services;
- Projects to increase participation and rates for material conservation programs;
- Replacement of traffic signals and street lighting with energy efficient lighting;
- Renewable energy projects, such as:
 - Solar Photovoltaic (roof-mounted or, if ground mounted less than 60kW);
 - Wind Turbine (single turbine less than 20kW);
 - Solar thermal system less than 20kW;
 - Solar thermal hot water
 - Closed loop ground source heat pump less than 5.5 tons;
 - Combined heat and power systems;
 - Biomass thermal less than 3MMBTUs/hour

Based on a review of the activities that would be funded under Ohio Revolving Loan Fund, DOE has determined the projects will not significantly impact the human environment and they are categorically excluded from further NEPA review under CX A9 "information gathering, analysis, and dissemination," A11 "technical advice and assistance," B1.31 "installation or relocation of machinery and equipment," B1.32 "traffic flow adjustments," B1.35 "drop-off, collection, and transfer facilities for recyclable materials," B2.1 "workplace enhancements," B2.2 "building and equipment instrumentation," B5.1(a) "actions to conserve energy," B5.14 "combined heat and power or cogeneration systems," B5.16 "solar photovoltaic systems," B5.17 "solar thermal systems," and B5.18 "wind turbines," and B5.19 "ground source heat pumps."

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

Note to Specialist :

Diana Scott 8.6.2012

DOE Funding: \$30,883,238.84

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature: _____

Kyristin Ke
NEPA Compliance Officer

Date: _____

8/13/2012

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____

Field Office Manager

Date: _____