

PMC-ND

(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION**

**RECIPIENT:** Strategic Analysis, Inc.**STATE:** VA**PROJECT TITLE** Fuel Cell Systems Analysis

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
0001412	DE-EE0007600	GFO-0007600-001	GO7600

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

A9 Information gathering, analysis, and dissemination Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

Rationale for determination:

DOE is proposing to provide funding to Strategic Analysis, Inc. to complete an analysis of the current technical status of on-road and advanced Proton Exchange Membrane (PEM) fuel cell power plants for vehicles and buses. The project would enable tracking of system performance and manufacturability, report cost estimates based upon the fuel cell systems, provide sensitivity analyses, identify the most promising pathways to system and lifecycle cost reductions and report findings.

Project activities would include estimation of the physical design and cost of automotive PEM fuel cell systems, computer modeling, and feasibility/performance analysis. All activities consists entirely of intellectual, academic, or analytical activities and would occur in an office setting in Arlington, Virginia, at Argonne National Laboratory, and at the National Renewable Energy Laboratory. Any work proposed to be conducted at a DOE laboratory may be subject to additional NEPA review by the cognizant DOE NEPA Compliance Officer for the specific DOE laboratory prior to initiating such work. Further, any work conducted at a DOE laboratory must meet the laboratory's health and safety requirements.

Based on the review of the proposal, DOE has determined the proposal fits within the class of action(s) selected above. DOE has also determined that: (1) there are no extraordinary circumstances (as defined by 10 CFR 1021.410(2)) related to the proposal that may affect the significance of the environmental effects of the proposal; (2) the proposal has not been segmented to meet the definition of a categorical exclusion; and (3) the proposal is not connected to other actions with potentially significant impacts, related to other proposals with cumulatively significant actions, or an improper interim action. This proposal is categorically excluded from further NEPA review.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

If the Recipient intends to make changes to the scope or objective of this project, the Recipient is required to contact the Project Officer, identified in Block 15 of the Assistance Agreement before proceeding. The Recipient must receive notification of approval from the DOE Contracting Officer prior to commencing with work beyond that currently approved. If the Recipient moves forward with activities that are not authorized for Federal funding by the DOE Contracting Officer in advance of a final NEPA decision, the Recipient is doing so at risk of not receiving Federal funding and such costs may not be recognized as allowable cost share.

Insert the following language in the award:

You are required to:


Any work proposed to be conducted at a DOE laboratory may be subject to additional NEPA review by the cognizant DOE NEPA Compliance Officer for the specific DOE laboratory prior to initiating such work. Further, any work conducted at a DOE laboratory must meet the laboratory's health and safety requirements.

Note to Specialist :

This NEPA Determination requires a tailored NEPA provision.
Fuel Cell Technologies Office
Casey Strickland 07/07/16

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature: _____



Signed By: Kristin Kerwin
NEPA Compliance Officer

Date: 7/18/2016

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____

Field Office Manager

Date: _____