

PMC-ND
(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION**



RECIPIENT:Northway Village

STATE: AK

PROJECT TITLE : Making Northway Alaska Resilient and Sustainable through Energy Efficiency and Solar PV power

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
DE-FOA-0001660	DE-IE0000092	GFO-0000092-001	

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

A9 Information gathering, analysis, and dissemination Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

B5.1 Actions to conserve energy or water (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

B5.16 Solar photovoltaic systems The installation, modification, operation, and removal of commercially available solar photovoltaic systems located on a building or other structure (such as rooftop, parking lot or facility, and mounted to signage, lighting, gates, or fences), or if located on land, generally comprising less than 10 acres within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide federal funding to Northway Village to implement energy efficiency measures and expand their solar power infrastructure.

Activities associated with the proposed project would include procurement, installation, interconnection, and operations and maintenance (O & M) of 18kW of solar arrays as well as installation of energy efficiency measures to include programmable thermostats, occupancy sensors, vending machine misers, variable speed pumps, and heating improvements at the Community Hall/Tribal Office, Washateria/Water Treatment Plant, and Water/Sewer Haul Garage

in Northway, AK. All equipment would be installed on existing structures and no ground disturbance nor any change in the use, mission or operation of those facilities is anticipated as a result of this effort. The only permit required for this work is an electrical permit required to perform final interconnections per state standards.

The U.S. Fish and Wildlife Service Endangered Species Program website (IPaC) identifies 11 migratory birds that have been known to exist near the project site. However, due to the lack of suitable habitat for these species at the project site and the small footprint of the proposed activities, the DOE has determined that there would be no effects to migratory birds as a result of the proposed project. Additionally, these locations have not been listed on the National Register of Historical Places, nor are they eligible to be listed. Furthermore, they do not reside within or near any listed historic districts. Therefore, DOE has determined that there would be no impacts to resources of cultural or historical concern as a result of the proposed activities of the project.

The proposed installations present a risk of electrocution when connecting them to their power sources and to the energy grid. Appropriate personal protective equipment would be worn by all personnel involved. Non-hazardous wastes would consist of the packaging of solar paneling and similar materials as well as small amounts of electrical waste such as excess wiring. All recyclables would be recycled appropriately and non-recyclables would be disposed of at the landfill.

Based on the review of the proposal, DOE has determined the proposal fits within the class of action(s) and the integral elements of 10 CFR 1021 subpart B outlined in the DOE categorical exclusion(s) selected above. DOE has also determined that: (1) there are no extraordinary circumstances (as defined by 10 CFR 1021.410(2)) related to the proposal that may affect the significance of the environmental effects of the proposal; (2) the proposal has not been segmented to meet the definition of a categorical exclusion; and (3) the proposal is not connected to other actions with potentially significant impacts, related to other proposals with cumulatively significant actions, or an improper interim action. This proposal is categorically excluded from further NEPA review.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

If the Recipient intends to make changes to the scope or objective of this project, the Recipient is required to contact the Project Officer, identified in Block 15 of the Assistance Agreement before proceeding. The Recipient must receive notification of approval from the DOE Contracting Officer prior to commencing with work beyond that currently approved. If the Recipient moves forward with activities that are not authorized for Federal funding by the DOE Contracting Officer in advance of a final NEPA decision, the Recipient is doing so at risk of not receiving Federal funding and such costs may not be recognized as allowable cost share.

Note to Specialist :

Office of Indian Energy
This determination does not require a tailored NEPA provision.
Review completed by Rebecca McCord, 07/26/2017

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:  Casey Strickland  Date: 7/31/2017
NEPA Compliance Officer

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____ Date: _____
Field Office Manager