

PMC-ND  
(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY  
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY  
NEPA DETERMINATION**



**RECIPIENT:** The University of Central Florida Board of Trustees

**STATE:** FL

**PROJECT TITLE :** Characterization of Indoor Air Quality in New Homes in the Southeastern United States

<b>Funding Opportunity Announcement Number</b>	<b>Procurement Instrument Number</b>	<b>NEPA Control Number</b>	<b>CID Number</b>
DE-FOA-0001630	DE-EE0008186	GFO-0008186-001	GO8186

**Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:**

**CX, EA, EIS APPENDIX AND NUMBER:**

Description:

**A9 Information gathering, analysis, and dissemination** Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

**B5.1 Actions to conserve energy or water** (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

**Rationale for determination:**

The U.S. Department of Energy (DOE) is proposing to provide federal funding to the University of Central Florida Board of Trustees to measure concentrations and profiles of humidity and established contaminants of concern in new homes located in Florida, Alabama, Georgia, and the Carolinas (Climate Zones 2 and 3). Protocol development, data analysis and performing of intellectual, academic and analytical activities would occur at the University of Central Florida, Florida Solar Energy Center in Cocoa, Florida.

Project activities include the collection of pollutant, airflow, and building/HVAC system characteristics in new residential homes. Residences to be instrumented, monitored, and tested have yet to be determined but all test homes would be existing newly constructed homes. No physical modifications or ground disturbing activities would be required and no change in the use of the home would result from project activities. No modifications to permits or new permits, additional licenses and/or authorizations would be necessary for proposed project activities. Part of the proposed testing protocol calls for testing of a home's air exchange rate with nitrous oxide, a nontoxic tracer gas.

Approximately 4 pounds would be used in total. Gas would be contained in commercially available systems in a manner compliant with all codes and standards during transport and use. No hazardous waste or chemicals would be generated as a result of the project. DOE does not anticipate any impacts to resources of concern due to the proposed activities of the project.

Based on the review of the proposal, DOE has determined the proposal fits within the class of action(s) and the integral elements of Appendix B to Subpart D of 10 CFR 1021 outlined in the DOE categorical exclusion(s) selected above. DOE has also determined that: (1) there are no extraordinary circumstances (as defined by 10 CFR 1021.410 (2)) related to the proposal that may affect the significance of the environmental effects of the proposal; (2) the proposal has not been segmented to meet the definition of a categorical exclusion; and (3) the proposal is not connected to other actions with potentially significant impacts, related to other proposals with cumulatively significant actions, or an improper interim action. This proposal is categorically excluded from further NEPA review.

**NEPA PROVISION**

DOE has made a final NEPA determination for this award



Insert the following language in the award:

If the Recipient intends to make changes to the scope or objective of this project, the Recipient is required to contact the Project Officer, identified in Block 15 of the Assistance Agreement before proceeding. The Recipient must receive notification of approval from the DOE Contracting Officer prior to commencing with work beyond that currently approved. If the Recipient moves forward with activities that are not authorized for Federal funding by the DOE Contracting Officer in advance of a final NEPA decision, the Recipient is doing so at risk of not receiving Federal funding and such costs may not be recognized as allowable cost share.

Note to Specialist :

Building Technologies Office  
This NEPA determination does not require a tailored NEPA provision.

**SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.**

NEPA Compliance Officer Signature:  Casey Strickland  Date: 8/10/2017  
NEPA Compliance Officer

**FIELD OFFICE MANAGER DETERMINATION**

Field Office Manager review required

**NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:**

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

**BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :**

Field Office Manager's Signature: \_\_\_\_\_ Date: \_\_\_\_\_  
Field Office Manager