

Insert the following language in the award:

You are required to:

Any work proposed to be conducted at a DOE laboratory may be subject to additional NEPA review by the cognizant DOE NEPA Compliance Officer for the specific DOE laboratory prior to initiating such work. Further, any work conducted at a DOE laboratory must meet the laboratory's health and safety requirements.

Note to Specialist :

This NEPA Determination applies to the issuance of the NOTA as well as all projects selected under the NOTA, provided the scope of the selected projects remains consistent with the intent of the NOTA as currently described. If selected applicants propose to conduct activities under this NOTA which are outside the scope of this NEPA Determination, additional NEPA review will be required.

Water Power Office
Review completed by Roak Parker, 4.19.18

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:

 Electronically Signed By: Kristin Kerwin
NEPA Compliance Officer

Date: 4/19/2018

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature:

Field Office Manager

Date: _____