

PMC-ND

(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION**

**RECIPIENT:** State of Oklahoma**STATE:** OK

PROJECT TITLE: Stilwell Wastewater Facility Energy Efficiency

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
	DE-EE0007488	GFO-0007488-001	

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

B5.1 Actions to conserve energy or water (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide funding to the State of Oklahoma -Department of Commerce to replace existing pumps, motors, and electrical controls and with more energy efficiency equipment. Currently, the plant has been operating below capacity which creates a challenge to balance the amount of dissolved oxygen in the aeration basins. The project would occur in the Pump House and Blower Building at the Stilwell Wastewater Facility in Stillwell, OK.

The proposed activities at the Pump House would include removal of old equipment and installation of two vertical turbine pumps with motors to match existing 100 Horsepower (HP) vertical turbine pump casing and two variable frequency drives (VFD) for a 100 HP motor and 100 HP pump. A new 12" magnetic flow meter, main distribution panel and power control circuits to the new motors, VFDs and flow meter would also be included. Work at the Blower Building would include removal of old equipment and the installation of two-40 HP VFDs and three-150 HP VFDs.

The proposed project would not require any physical modification to the facility, ground disturbance, or change in the use, mission, or operation of facility. All activities would occur inside the Pump House or the Blower Building. No permits, licenses, or authorizations would be required to perform the project activities. Existing health and safety

policies and procedures would be followed, including employee training, proper protective equipment, monitoring, and internal assessments. The excess equipment would be recycled.

NEPA PROVISION

DOE has made a final NEPA determination.

Notes:

Office of Weatherization and Intergovernmental Programs – State Energy Program
This NEPA Determination does not require a tailored NEPA provision.
NEPA review completed by Diana Heyder, 01/18/2019

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:


NEPA Compliance Officer

Date: 1/23/2019

FIELD OFFICE MANAGER DETERMINATION

- Field Office Manager review not required
- Field Office Manager review required

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature:

Field Office Manager

Date: