

PMC-ND

(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION**

**RECIPIENT:** The University of Central Florida Board of Trustees**STATE:** FL

PROJECT TITLE: Investigating the Prevalence and Energy Impacts of Residential Comfort System Faults – Hot Humid and Hot Dry Climates

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
DE-FOA-0001824	DE-EE0008688	GFO-0008688-001	GO8688

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

A9 Information gathering, analysis, and dissemination Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

B3.6 Small-scale research and development, laboratory operations, and pilot projects Siting, construction, modification, operation, and decommissioning of facilities for smallscale research and development projects; conventional laboratory operations (such as preparation of chemical standards and sample analysis); and small-scale pilot projects (generally less than 2 years) frequently conducted to verify a concept before demonstration actions, provided that construction or modification would be within or contiguous to a previously disturbed or developed area (where active utilities and currently used roads are readily accessible). Not included in this category are demonstration actions, meaning actions that are undertaken at a scale to show whether a technology would be viable on a larger scale and suitable for commercial deployment.

B5.1 Actions to conserve energy or water (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide federal funding to the University of Central Florida Board of Trustees for a combination of field and laboratory data collection to document the prevalence, severity, and energy impacts of residential comfort system design and installation faults in hot humid and hot dry climates. Initial development of a study protocol and research plan would take place at the Florida Solar Energy Center in Cocoa, Florida. After initial development of the study protocol and research plan, UCF will work with DOE's Institutional Review Board (IRB) to determine if the proposed research is considered human subjects research and, if so, will obtain IRB approval in accordance with 10 CFR 745.103 prior to initiating the proposed research in the field. Field data collection would occur in homes across the southwestern and southeastern United States, and in two laboratory homes in Cocoa, Florida. Data analysis would take place at Proctor Engineering Group in San Rafael, California.

Project work would occur within existing office and laboratory space where no physical modifications or ground disturbing activities would be required and no change in the use of the facilities would result from project activities. Field data collection involves evaluation of central cooling system design, refrigerant charge using industry standard procedures, static pressure, duct leakage, blower fan airflow, and blower fan watt draw. In half of the field sample (50 homes), the presence of non-condensable gases in the refrigerant system would be tested by recovering the refrigerant from the system and having it analyzed by an independent testing laboratory. After recovering refrigerant in these homes, the field staff would properly evacuate and re-charge the system with new refrigerant. Field work would occur within existing residential homes and would not require modifications to the homes or ground disturbing activities. No modifications to permits or new permits, additional licenses and/or authorizations would be necessary for proposed project activities. The faults found during field data collection would be imposed individually, and in combination, in a controlled lab home environment to determine energy impacts on both fixed capacity and variable capacity heat pumps. All project staff working with refrigerants, both in the field and the laboratory, would have required EPA certifications. Laboratory results would be incorporated into simulations to estimate annual energy impacts of faults in IECC climate zones 1-6 (A). Data collected would be utilized to inform continued development of Standard 310 "Standard for Grading the Installation of HVAC Systems" to improve the standard's feasibility and accuracy.

Although exact locations for field data collection have not yet been determined, field data collection would consist of field tests and observations of existing newly installed heat pump systems and recovery of refrigerant. These activities would not require modifications to the homes selected. DOE has determined that the project activities would have no potential to cause effects to historic properties, assuming they were present, therefore DOE has no further obligations under section 106 of the National Historic Preservation Act. DOE does not anticipate any impacts to resources of concern due to the proposed activities of the project.

NEPA PROVISION

DOE has made a final NEPA determination.

Notes:

Building Technologies Office

This NEPA determination does not require a tailored NEPA provision.

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in

paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:  _____ Date: 4/23/2019
NEPA Compliance Officer

FIELD OFFICE MANAGER DETERMINATION

- Field Office Manager review not required
- Field Office Manager review required

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____ Date: _____
Field Office Manager