PMC-ND

(1.08.09.13)

U.S. DEPARTMENT OF ENERGY OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY NEPA DETERMINATION



RECIPIENT: Wisconsin Office of Energy Innovation

PROJECT TITLE: EIGP PY21 - Bayfield County

Funding Opportunity Announcement Number Procurent SEP-ALRD-2021

Procurement Instrument Number

NEPA Control Number CID Number

STATE: WI

DE-EE0008669 GFO-0008669-020

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

A9 Information gathering, analysis, and dissemination

B1.31 Installation or relocation of machinery and equipment

B5.1 Actions to conserve energy or water Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

Installation or relocation and operation of machinery and equipment (including, but not limited to, laboratory equipment, electronic hardware, manufacturing machinery, maintenance equipment, and health and safety equipment), provided that uses of the installed or relocated items are consistent with the general missions of the receiving structure. Covered actions include modifications to an existing building, within or contiguous to a previously disturbed or developed area, that are necessary for equipment installation and relocation. Such modifications would not appreciably increase the footprint or height of the existing building or have the potential to cause significant changes to the type and magnitude of environmental impacts.

(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

The U.S. Department of Energy is proposing to provide funding to the Wisconsin Office of Energy Innovation to design, engineer, and install an integrated microgrid controller, inverter, 110 kWh battery energy storage system (BESS), and two level 2 electric vehicle (EV) charging stations at the Bayfield County Highway Garage in Washburn, Wisconsin. Proposed components would integrate existing solar PV panels and an existing natural gas generator with the new battery storage system and the EV charging stations. The battery storage container may be installed inside or outside, directly adjacent to the existing garage. All other components would be installed within the existing garage

structure.

DOE previously funded two independently competitive projects at the Bayfield County Highway Garage, which are not considered connected actions to the award reviewed in this ND. In 2019 the DOE funded energy efficiency upgrades such as retrofitting lighting, occupancy light sensors, weather stripping, insulation, HVAC upgrades, a building automation system, and a solar PV system (GFO-0007494-007: CX A9, B5.1, and B5.16 issued 7/23/2019). In early 2022, the DOE funded the installation of a 50kW natural gas-powered generator and transfer switch (GFO-0008669-012: CX A9 and B1.31 issued 2/14/2022).

Prime farmland, wetlands, floodplains, and cultural resources are not known to occur at the project site. Therefore, no impacts to these resources are anticipated. Since proposed components would be installed within the existing garage or directly adjacent, DOE determined the proposed project would have no effect to threatened, endangered, or candidate species in the area. DOE does not anticipate any impacts to resources of concern due to the proposed activities of the project.

Installation of the proposed project may involve the use of heavy equipment and working with electricity. Potential hazards would be mitigated through adherence to established institutional health and safety policies and procedures. The Wisconsin Office of Energy Innovation would adhere to all applicable federal, state, and local health, safety, and environmental regulations.

Any changes to the project activities or locations are subject to additional NEPA review by DOE and are not authorized for federal funding unless and until the Contracting Officer provides written authorization on those additions or modifications.

NEPA PROVISION

DOE has made a final NEPA determination.

Notes:

Weatherization and Intergovernmental Programs Office - State Energy Program NEPA review completed by Amy Lukens, 10/6/2022

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:	Signed By: Casey Strickland	Date:	10/7/2022	
------------------------------------	-----------------------------	-------	-----------	--

Field Office Manager review not required □ Field Office Manager review required BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO : Field Office Manager's Signature: □ Date: □ Field Office Manager

FIELD OFFICE MANAGER DETERMINATION