

## U.S. Department of Energy Southwestern Power Administration CATEGORICAL EXCLUSION DETERMINATION

•			
P	roposed Action Title:	Tupelo Substation Conduit Project	
P	rogram or Field Office:	Gore Field Office	
Location(s) (City/County/State): Tupelo / Coal / Oklahoma		Tupelo / Coal / Oklahoma	
Proposed Action Description: Southwestern Power Administration proposes (enter text on next line):			
	total length will be 164'. Conduits will be single trenched and go under concrete curbs.		
Program or Field Office: Gore Field Office   Location(s) (City/County/State): Tupelo / Coal / Oklahoma   Proposed Action Description: Southwestern Power Administration proposes (enter text on next line):   Two 4" conduits will be added approximately 24" below the rock surface, with conduit trenches 6" to 8" wide. Conduit trenchir total length will be 164'. Conduits will be single trenched and go under concrete curbs.   Categorical Exclusion(s) Applied: 10 CFR 1021, Appendix B to Subpart D, Part B 4.11   For the complete DOE National Environmental Policy Act regulations regarding categorical exclusions, include full text of each categorical exclusion, see Subpart D of 10 CFR Part 1021. The following Regulatory Requirements in 10 CFR 1021.410(b) were met: (See full text in regulation)   The proposal fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products tha preexist in the environment such that three would be uncontrolled or unpermitted releases; (4) have the potentic cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in pragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically			
C	Categorical Exclusion(s) Applied	Office: Gore Field Office   /County/State): Tupelo / Coal / Oklahoma   Description: Southwestern Power Administration proposes (enter text on next line):   Ib e added approximately 24" below the rock surface, with conduit trenches 6" to 8" wide. Conduit trenching 164'. Conduits will be single trenched and go under concrete curbs.   Ision(s) Applied: 10 CFR 1021, Appendix B to Subpart D, Part B 4.11   ete DOE National Environmental Policy Act regulations regarding categorical exclusions, including the h categorical exclusion, see Subpart D of 10 CFR Part 1021. Regulatory Requirements in 10 CFR 1021.410(b) were met: (See full text in regulation)   Tits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. he classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, similar requirements of DOE or Executive Orders; (2) require siting and construction or major waste storage, disposal, recovery, or treatment factilities (including incinerators), but the proposal may rically excluded waste storage, disposal, recovery, or treatment factilities (including incinerators), but the proposal may rically excluded maste storage, disposal, recovery, or treatment factilities (including incinerators), but the proposal may rically excluded maste storage, disposal, recovery, or treatment factilities (including incinerators), but the proposal may rically excluded maste storage, on invasive species, unless the proposed activity would be onfined in a manner designed and operated to prevent unauthorized release into the environment and cordnace wit	
	full text of each categorical ex The following Regulatory Re	cclusion, see Subpart D of <u>10 CFR Part 1021</u> . quirements in 10 CFR 1021.410(b) were met: (See full text in regulation)	
X	To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safet and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthebiology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021,		
X	There are no extraordinary cire effects of the proposal.	cumstances related to the proposal that may affect the significance of the environmenta	
X	to other actions with potential individually insignificant but	ly significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40	
	5 1	oposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B),	

I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

NEPA Compliance Officer Name: Cynthia Short

Date Determined: 05/01/2023

NEPA Compliance Officer Signature: CYNTHIA SHORT Digitally signed by CYNTHIA SHORT Date: 2023.05.01 11:12:53 -05'00'

EMS Aspect Identification: Existing Aspect: All aspects related to project were previously identified within SWPA M 450.1.