PMC-ND

(1.08.09.13)

U.S. DEPARTMENT OF ENERGY OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY NEPA DETERMINATION



RECIPIENT: PROJECT TITLE ·

Expansion of UL Solutions' North America Advance Electric Vehicle Charging Laboratory for inclusion of additional DC fast charger testing capability

Funding Opportunity Announcement Number Procurement Instrument Number NEPA Control Number CID Number

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Technical advice and planning assistance to international, national, state, and local organizations.

B2.1 Workplace enhancements

Modifications within or contiguous to an existing structure, in a previously disturbed or developed area, to enhance workplace habitability (including, but not limited to, installation or improvements to lighting, radiation shielding, or heating/ventilating/air conditioning and its instrumentation, and noise reduction).

B2.4 Equipment Qualification B1.31 Installation or relocation of machinery and equipment Activities undertaken to (1) qualify equipment for use or improve systems reliability or (2) augment information on safety-related system components. These activities include, but are not limited to, transportation container qualification testing, crane and lift-gear certification testing, injunt efficiency particulate air filter testing and certification, stress tests (such as "burn-in" testing of electrical components and teak testing), and calibration of sensors or diagnostic equipment. Installation or relocation and operation of machinery and equipment (including, but not limited to, laboratory equipment, electronic hardware, manufacturing machinery, maintenance equipment, and health and safety equipment), provided that uses of the installed or relocated lems are consistent with the general missions of the receiving structure. Covered actions include modifications to an existing building, within or contiguous to a previously disturbed or developed area, that are necessary for equipment installation and relocation. Such modifications would not appreciately increase the footprint or height of the exist pulsaries to the potential to cause significant relocations and magnitude of environmental impacts.

Siting, construction, modification, operation, and decommissioning of facilities for smallscale research and development projects; conventional laboratory operations (such as preparation of chemical standards and sample analysis); and small-scale pilot projects (generally less than 2 years) frequently conducted to verify a concept before demonstration actions, provided that construction or modification would be within or contiguous to a previously disturbed or developed area (where active utilities and currently used roads are readily) accessible). Not included in this category are demonstration actions, meaning actions that are undertaken at a scale to show whether a technology would be viable on a larger scale and suitable for

B3.6 Small-scale research and development, laboratory operations, and pilot projects

commercial deployment.

(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially substances. These actions may involve financial and technical assistance to individuals (such as builders, converse, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribs or conversed actions include, but are not limited to weatherization (such as insulation and replacing windows and doors), programmed lowering of themorestal settings; glacement of timers on hot water heaters; installation or replacement of energy efficiency principles, include, but are root include, but are root include to the replacement of the provision include, but are root include to the replacement of the r

B5.23 Electric vehicle charging stations are limited to areas where access and parking are in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.

Rationale for determination

NEPA PROVISION

DOE has made a final NEPA determination

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require sting and construction or major expansion of waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:		Electronically Signed By:Jesse Garcia	Date:	3/20/2024
		NEPA Compliance Officer		
FIELD OFFICE MANAGER DETERMINATION				
~	Field Office Manager review not required Field Office Manager review required			
BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO:				
Field Office Manager's Signature:			Date:	
		Field Office Manager	_	