

U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION



RECIPIENT: Mount Pleasant, Town of

STATE: SC

PROJECT TITLE: Coleman Boulevard Bike Lanes

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
DE-FOA-0002882	DE-SE0000316	GFO-SE0000316-001	

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

B1.3 Routine maintenance Routine maintenance activities and custodial services for buildings, structures, rights-of-way, infrastructures (including, but not limited to, pathways, roads, and railroads), vehicles and equipment, and localized vegetation and pest control, during which operations may be suspended and resumed, provided that the activities would be conducted in a manner in accordance with applicable requirements. Custodial services are activities to preserve facility appearance, working conditions, and sanitation (such as cleaning, window washing, lawn mowing, trash collection, painting, and snow removal). Routine maintenance activities, corrective (that is, repair), preventive, and predictive, are required to maintain and preserve buildings, structures, infrastructures, and equipment in a condition suitable for a facility to be used for its designated purpose. Such maintenance may occur as a result of severe weather (such as hurricanes, floods, and tornados), wildfires, and other such events. Routine maintenance may result in replacement to the extent that replacement is in-kind and is not a substantial upgrade or improvement. In-kind replacement includes installation of new components to replace outmoded components, provided that the replacement does not result in a significant change in the expected useful life, design capacity, or function of the facility. Routine maintenance does not include replacement of a major component that significantly extends the originally intended useful life of a facility (for example, it does not include the replacement of a reactor vessel near the end of its useful life). Routine maintenance activities include, but are not limited to: (a) Repair or replacement of facility equipment, such as lathes, mills, pumps, and presses; (b) Door and window repair or replacement; (c) Wall, ceiling, or floor repair or replacement; (d) Reroofing; (e) Plumbing, electrical utility, lighting, and telephone service repair or replacement; (f) Routine replacement of high-efficiency particulate air filters; (g) Inspection and/or treatment of currently installed utility poles; (h) Repair of road embankments; (i) Repair or replacement of fire protection sprinkler systems; (j) Road and parking area resurfacing, including construction of temporary access to facilitate resurfacing, and scraping and grading of unpaved surfaces; (k) Erosion control and soil stabilization measures (such as reseeded, gabions, grading, and revegetation); (l) Surveillance and maintenance of surplus facilities in accordance with DOE Order 435.1, "Radioactive Waste Management," or its successor; (m) Repair and maintenance of transmission facilities, such as replacement of conductors of the same nominal voltage, poles, circuit breakers, transformers, capacitors, crossarms, insulators, and downed powerlines, in accordance, where appropriate, with 40 CFR part 761 (Polychlorinated Biphenyls Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions) or its successor; (n) Routine testing and calibration of facility components, subsystems, or portable equipment (such as control valves, in-core monitoring devices, transformers, capacitors, monitoring wells, lysimeters, weather stations, and flumes); (o) Routine decontamination of the surfaces of equipment, rooms, hot cells, or other interior surfaces of buildings (by such activities as wiping with rags, using strippable latex, and minor vacuuming), and removal of contaminated intact equipment and other material (not including spent nuclear fuel or special nuclear material in nuclear reactors); and (p) Removal of debris.

B1.32 Traffic flow adjustments Traffic flow adjustments to existing roads (including, but not limited to, stop sign or traffic light installation, adjusting direction of traffic flow, and adding turning lanes), and road adjustments (including, but not limited to, widening and realignment) that are within an existing right-of-way and consistent with approved land use or transportation improvement plans.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide federal funding to the Town of Mount Pleasant, South Carolina, for the delineation of bike lanes on a section of existing roadway. Project activities would include road resurfacing, lane marking, and the addition of regulatory signage. A 0.236-mile section of Coleman Boulevard SC-703 (32.4750, -79.5340) would be resurfaced with asphalt pavement and marked with thermoplastic pavement to delineate the new bike lanes within the existing footprint of the boulevard.

Mount Pleasant shall adhere to the restrictions of the DOE executed Historic Preservation Programmatic Agreement (PA) with the State of South Carolina, available at <https://www.energy.gov/node/812599>. In the event an activity would

not meet the exemptions identified within the PA, the Town shall consult with the South Carolina State Historic Preservation Office (SHPO) to obtain concurrence prior to project initiation.

Based on FEMA National Flood Hazard Map data accessed on May 9, 2024, a portion of the proposed project would be located within special flood hazard areas. The proposed project would not change the existing landscape and therefore would not have the potential to impact the floodplain itself. DOE has determined that providing funding in support of this project is not a floodplain action requiring a floodplain assessment under 10 CFR 1022.

Minimal air emissions may result from the use of diesel-powered vehicles and application of asphalt and thermoplastic. However, significant air impacts are not anticipated as emissions would be temporary and intermittent. Hazards associated with road upgrades include use of power tools, machinery, heavy equipment, chemicals, working with hot mix asphalt and high temperatures. Employee and contractor training, proper protective equipment, and internal safety reviews and assessments would be utilized to mitigate hazards. Mount Pleasant and their subcontractors would obtain and comply with all local, state, and federal permits, regulations, and requirements pertaining to award activities. DOE does not anticipate any impacts to resources of concern due to the proposed activities of the project.

NEPA PROVISION

DOE has made a final NEPA determination.

Include the following condition in the financial assistance agreement:

1. Mount Pleasant must adhere to the terms and restrictions of its DOE executed Historic Preservation Programmatic Agreement. DOE executed Historic Preservation Programmatic Agreements are available at <https://www.energy.gov/node/812599>.
2. Mount Pleasant is responsible for reviewing the online NEPA and Historic preservation training at www.energy.gov/node/4816816 and contacting EECBG.NEPA@ee.doe.gov with any EECBG, NEPA, or historic preservation questions.
3. Mount Pleasant is required to submit an annual Historic Preservation Report at <https://forms.office.com/g/kAFs0N7CZH>.
4. Activities not identified within this NEPA determination may be subject to additional NEPA review and approval by DOE. For activities requiring additional NEPA review, Recipients must complete the environmental questionnaire (EQ-1) found at <https://www.eere-pmc.energy.gov/NEPA.aspx> and receive notification from DOE that the NEPA review has been completed and approved by the Contracting Officer prior to initiating the project or activities.

Notes:

Office of State and Community Energy Programs
Energy Efficiency and Conservation Block Grants Program
NEPA review completed by Andrew McClellan, 13 May 2024

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:  Electronically Signed By: Matthew Blevins Date: 5/15/2024
NEPA Compliance Officer

FIELD OFFICE MANAGER DETERMINATION

- Field Office Manager review not required
- Field Office Manager review required

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____ Date: _____
Field Office Manager