PMC-ND

(1.08.09.13)

U.S. DEPARTMENT OF ENERGY OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY NEPA DETERMINATION



RECIPIENT: City of Chicago STATE: IL

PROJECT TITLE: Chicago Libraries Solar Power Project

Funding Opportunity Announcement Number Procurement Instrument Number NEPA Control Number CID Number

DE-EE0010771 GFO-0010771-001 GO10771

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

A9 Information gathering, analysis, and dissemination

Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

B5.1 Actions to conserve energy or water

(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

B5.16 Solar photovoltaic systems

The installation, modification, operation, and removal of commercially available solar photovoltaic systems located on a building or other structure (such as rooftop, parking lot or facility, and mounted to signage, lighting, gates, or fences), or if located on land, generally comprising less than 10 acres within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to administer Congressionally Directed Spending to the City of Chicago (Chicago) to design, develop, and install rooftop solar photovoltaic (PV) systems and implement energy conservation measures at two public library locations. The locations are city-owned buildings.

Project activities at each installation site would be as follows:

1. West Lawn Branch: Design and installation of a 145-kilowatt (kW) rooftop PV array, retrofitting of the boiler system,

HVAC units, cabinet heaters, wiring and programming of the building's automation system, and lighting upgrades to light emitting diodes (LED) lightbulbs.

2. Toman Branch: Design and installation of a 71-kW rooftop PV array, retrofitting of the boiler system, and lighting upgrades to efficient LEDs lightbulbs.

The proposed installation would involve commercially available solar PV arrays and racking systems being added to the existing roof spaces. The boiler system retrofits, and other interior project activities, would utilize existing rooms and utility corridors, and no ground disturbing activities would occur. No change in the use, mission, or operation of existing facilities would arise out of this effort.

Potential hazards include fall risks due to working on rooftops and lighting installation, and electrical hazards. Standard safety practices would be followed at each facility. All required permits, licenses, and authorizations would be acquired by the project developer prior to construction activities.

DOE completed consultation with the Illinois State Historic Preservation Office (SHPO) per Section 106 of the National Historic Preservation Act of 1966, as amended, to determine potential impacts to historic properties. The Toman Branch was determined to be eligible for listing under the National Register of Historic Places, and the West Lawn Branch was determined to not be eligible. DOE received two letters of concurrence from the Illinois SHPO (June 3, 2024, and June 10, 2024) stating they concurred with the finding that award activities will not adversely affect the eligible library (Toman Branch), nor will they affect any historic properties.

DOE has considered the scale, duration, and nature of the proposed activities to determine potential impacts on resources, including those of an ecological, historical, cultural, and socioeconomic nature. DOE does not anticipate impacts on these resources which would be considered significant or require DOE to consult with other agencies or stakeholders.

NEPA PROVISION

DOE has made a final NEPA determination.

Notes:

Solar Energy Technologies Office (SETO)
Review completed by Brittany White on 6/26/2024

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

NEPA Compliance Officer Signature:	Signed By: Andrew Montano	Date:	6/26/2024	
	NEPA Compliance Officer			
FIELD OFFICE MANAGER DETERMIN	NATION			
✓ Field Office Manager review not require✓ Field Office Manager review required	ed			
BASED ON MY REVIEW I CONCUR WI	TH THE DETERMINATION OF THE NCO:			
Field Office Manager's Signature:		Date:		

Field Office Manager