



# Appendices

List of Technology Assessments

List of Supplemental Information

Office of the Under Secretary for Science and  
Energy Executive Steering Committee and Co-Champions

Authors, Contributors, and Reviewers

Glossary

Acronyms

List of Figures

List of Tables



# Technology Assessments

## Chapter 3

Cyber and Physical Security  
Designs, Architectures, and Concepts  
Electric Energy Storage  
Flexible and Distributed Energy Resources  
Measurements, Communications, and Control  
Transmission and Distribution Components

## Chapter 4

Advanced Plant Technologies  
Carbon Dioxide Capture and Storage  
Value-Added Options  
Biopower  
Carbon Dioxide Capture Technologies  
Carbon Dioxide Storage Technologies  
Carbon Dioxide Capture for Natural Gas  
and Industrial Applications  
Crosscutting Technologies in Carbon Dioxide  
Capture and Storage  
Fast-spectrum Reactors  
Geothermal Power  
High Temperature Reactors  
Hybrid Nuclear-Renewable Energy Systems  
Hydropower  
Light Water Reactors  
Marine and Hydrokinetic Power  
Nuclear Fuel Cycles  
Solar Power  
Stationary Fuel Cells  
Supercritical Carbon Dioxide Brayton Cycle  
Wind Power

## Chapter 6

Additive Manufacturing  
Advanced Materials Manufacturing  
Advanced Sensors, Controls, Platforms  
and Modeling for Manufacturing  
Combined Heat and Power Systems  
Composite Materials  
Critical Materials  
Direct Thermal Energy Conversion  
Materials, Devices, and Systems  
Materials for Harsh Service Conditions  
Process Heating  
Process Intensification  
Roll-to-Roll Processing  
Sustainable Manufacturing - Flow of  
Materials through Industry  
Waste Heat Recovery Systems  
Wide Bandgap Semiconductors for  
Power Electronics

## Chapter 7

Bioenergy Conversion  
Natural Gas Delivery Infrastructure  
Biomass Feedstocks and Logistics  
Gas Hydrates Research and Development  
Hydrogen Production and Delivery  
Offshore Safety and Spill Reduction  
Unconventional Oil and Gas

## Chapter 8

Connected and Automated Vehicles  
Fuel Cell Electric Vehicles  
Internal Combustion Engines  
Lightweight Automotive Materials  
Plug-in Electric Vehicles

[See online version.]



# Supplemental Information

## Chapter 1

Additional Information on Energy Challenges  
Agency Information  
Representative DOE Applied Energy Program Workshops

## Chapter 5

Building Energy Technology Roadmaps  
Building Technologies Office Potential Energy Savings Analysis

## Chapter 6

Competitiveness Case Studies  
Public-Private Consortia and Technology Transition Case Studies

## Chapter 7

Oil and Gas Technologies  
Subsurface Science and Technology

## Chapter 9

A Comparison of Research Center Funding Modalities  
High-Performance Computing Capabilities and Allocations  
User Facility Statistics  
Examples and Case Studies

## Chapter 10

Additional Information on Concepts in Integrated Analysis

[See online version.]



# Office of the Under Secretary for Science and Energy Executive Steering Committee and QTR Co-Champions

Any endeavor the size and scope of the QTR 2015 requires strong leadership and dedication of resources. The individuals listed below represent the senior leaders within DOE who provided the essential guidance and key resources which made this report possible.

## **Office of the Under Secretary for Science and Energy**

Kimberly D. Rasar, *Associate Deputy Under Secretary*

## **Office of Electricity Delivery and Reliability**

Henry (Hank) Kenchington, *Deputy Assistant Secretary, for Advanced Grid Integration*

David Ortiz, *Deputy Assistant Secretary for Energy Infrastructure Modeling and Analysis*

## **Office of Energy Efficiency and Renewable Energy**

Steve Chalk, *Deputy Assistant Secretary for Operations*

Doug Hollett, *Deputy Assistant Secretary for Renewable Power*

Mark A. Johnson, *Director, Advanced Manufacturing Office*

Roland Risser, *Director, Building Technologies Office*

Reuben Sarkar, *Deputy Assistant Secretary for Transportation*

## **Office of Fossil Energy**

Julio Friedmann, *Principal Deputy Assistant Secretary*

David Mohler, *Deputy Assistant Secretary, Office of Clean Coal and Carbon Management*

Darren Mollot, *Associate Deputy Assistant Secretary, Office of Clean Coal and Carbon Management*

## **Office of Nuclear Energy**

John E. Kelly, *Deputy Assistant Secretary for Nuclear Reactor Technologies*

## **Office of Indian Energy**

Pilar Thomas, *Former Acting Director, Office of Indian Energy Policy & Programs*

David Conrad, *Deputy Director, Office of Indian Energy Policy and Programs*

## **Office of Technology Transitions**

Jetta Wong, *Director and Department Technology Transfer Coordinator*

## **Office of Science**

Pat Dehmer, *Acting Director of Science*

Steve Binkley, *Associate Director of Advanced Scientific Computing Research*

Harriet Kung, *Associate Director of Science for Basic Energy Sciences*

## **Advanced Research Projects Agency - Energy**

Ellen Williams, *Director, Advanced Research Projects Agency - Energy*

## **Office of the Chief Financial Officer**

Christopher (Chris) Johns, *Director of the Budget Office*

## **Office of International Affairs**

Robert (Bob) Marlay, *Director, Office of International Science and Technology Collaboration*





## Authors

The QTR 2015 was executed by a core team responsible for all aspects of production including drafting the report, engaging stakeholders, managing the peer review process, and leading the technology assessments. In addition, they provided connectivity within the department ensuring a cogent and integrated view of the nation's broad energy RDD&D enterprise.

Sam Baldwin  
*DOE*

Gilbert Bindewald  
*DOE*

Austin Brown  
*National Renewable  
Energy Laboratory*

Charles Chen  
*Energetics*

Kerry Cheung  
*DOE*

Corrie Clark  
*Argonne National Laboratory*

Joe Cresko  
*DOE*

Matt Crozat  
*DOE*

Jarad Daniels  
*DOE*

Jae Edmonds  
*Pacific Northwest  
National Laboratory*

Paul Friley  
*Brookhaven National  
Laboratory*

Jeff Greenblatt  
*Lawrence Berkeley  
National Laboratory*

Zia Haq  
*DOE*

Kristen Honey  
*DOE (AAAS Fellow)*

Marcos Huerta  
*DOE*

Ziga Ivanic  
*Energetics*

William Joost  
*DOE*

Fred Joseck  
*DOE*

Akhlesh Kaushiva  
*DOE*

Henry Kelly  
*DOE*

Dan King  
*DOE (AAAS Fellow)*

Adam Kinney  
*DOE (AAAS Fellow)*

Michael Kuperberg  
*DOE*

Alan Kwan  
*DOE (AAAS Fellow)*

Alex Larzelere  
*DOE*

Heather Liddell  
*Energetics*

Steve Lindenberg  
*DOE*

Michael Martin  
*DOE (AAAS Fellow)*

Colin McMillan  
*National Renewable  
Energy Laboratory*

Elena Melchert  
*DOE*

Josh Mengers  
*DOE*

Eric Miller  
*DOE*

James Miller  
*Argonne National Laboratory*

George Muntean  
*Pacific Northwest  
National Laboratory*

Tien Nguyen  
*DOE*

Pat Phelan  
*DOE*

Charles Russomanno  
*DOE*

Ridah Sabouni  
*Energetics*

Ann Satsangi  
*DOE*

Andrew Schwartz  
*DOE*

Dev Shenoy  
*DOE*

A.J. Simon  
*Lawrence Livermore  
National Laboratory*

Gurpreet Singh  
*DOE*

Emmanuel Taylor  
*DOE*

Jake Ward  
*DOE*

Bradley Williams  
*DOE*

## Contributors

In addition to the core team of lead authors, the report and technology assessments would not have been completed without numerous valuable contributions. Essential material was provided and/or produced by the individuals listed below. The QTR 2015 is indebted to them for their critical contributions.

Omar Abdelaziz  
*DOE*

Mark Ackievicz  
*DOE*

Anant Agarwal  
*DOE*

David Anderson  
*DOE*

Todd Anderson  
*DOE*

Kristin Balder-Froid  
*Lawrence Berkeley  
National Laboratory*

Fredric Beck  
*SRA International*

Doug Blankenship  
*Sandia National Laboratories*

Richard Boardman  
*Idaho National Laboratory*

Dan Boff  
*Mantech Corporation*

Ray Boswell  
*National Energy  
Technology Laboratory*

Anthony Bouza  
*DOE*

Shannon Bragg-Sitton  
*Idaho National Laboratory*

Jay Braitsch  
*DOE*

Megan Brewster  
*DOE*

Lynn Brickett  
*National Energy  
Technology Laboratory*

James Brodrick  
*DOE*

Benjamin Brown  
*DOE*

Douglas Burns  
*Idaho National Laboratory*

Lou Capitanio  
*DOE*

Alberta Carpenter  
*National Renewable  
Energy Laboratory*

Julie Carruthers  
*DOE*

David Catarious  
*DOE*

Jeff Chamberlain  
*Argonne National Laboratory*

Isaac Chan  
*DOE*

Jared Ciferno  
*National Energy  
Technology Laboratory*

Regis Conrad  
*DOE*

George Crabtree  
*Argonne National Laboratory*

Fred Crowson  
*Energetics*

Sujit Das  
*Oak Ridge National  
Laboratory*

Patrick Davis  
*DOE*

Ravi Deo  
*DOE*

Rick Diamond  
*Lawrence Berkeley  
National Laboratory*

Sara Dillich  
*DOE*

Kevin Doran  
*DOE*

Amgad Elgowainy  
*Argonne National Laboratory*

Rick Elliott  
*DOE*

Phillip Finck  
*Idaho National Laboratory*

Aaron Fisher  
*Energetics*

Jay Fitzgerald  
*DOE (AAAS Fellow)*

Erica Folio  
*DOE*

David Forrest  
*DOE*

Christopher Freitas  
*DOE*

Benjamin Gaddy  
*DOE (AAAS Fellow)*

John Gangloff  
*DOE*

Nancy Garland  
*DOE*

Chris Gearhart  
*National Renewable  
Energy Laboratory*

Gary Geernaert  
*DOE*



Jess C. Gehin  
*Oak Ridge National Laboratory*

Bob Gemmer  
*DOE*

Kristin Gerdes  
*National Energy  
Technology Laboratory*

Jehanne Gillo  
*DOE*

Patrick Glynn  
*DOE*

Mike Goff  
*DOE*

Jeffery Gonder  
*National Renewable  
Energy Laboratory*

Roland Gravel  
*DOE*

Diane Graziano  
*Argonne National Laboratory*

Joel Grimm  
*DOE*

Timothy Hallman  
*DOE*

Dave Hardy  
*DOE*

Chioke Harris  
*DOE*

Eric Heim  
*E Heim Consulting*

George Hernandez  
*Pacific Northwest  
National Laboratory*

Robert Hill  
*Argonne National Laboratory*

Devin Hodge  
*Argonne National Laboratory*

Linda Horton  
*DOE*

Ken Howden  
*DOE*

David Howell  
*DOE*

Sara Hunt  
*BCS, Inc*

Bob Hwang  
*Sandia National Laboratories*

Keith Jamison  
*Energetics*

Thomas Jenkins  
*National Renewable  
Energy Laboratory*

Robin Johnston  
*Lawrence Berkeley  
National Laboratory*

Robert Kaplar  
*Sandia National Laboratories*

Burton 'Mack' Kennedy  
*Lawrence Berkeley  
National Laboratory*

Chris King  
*DOE*

Alex King  
*Ames Laboratory*

Douglas Kothe  
*Oak Ridge National Laboratory*

Alison LaBonte  
*DOE*

Sandy Landsberg  
*DOE*

Karl Lang  
*National Energy  
Technology Laboratory*

Jared Langevin  
*DOE*

Peter Lee  
*DOE*

Robie Lewis  
*DOE*

John Litynski  
*DOE*

Henning Lohse-Busch  
*Argonne National Laboratory*

Roy Long  
*National Energy  
Technology Laboratory*

Seungwook Ma  
*DOE*

Jonathan Male  
*DOE*

Maggie Mann  
*National Renewable  
Energy Laboratory*

George Maracas  
*DOE*

Robert Margolis  
*National Renewable  
Energy Laboratory*

Laura Marlino  
*Oak Ridge National Laboratory*

Blake Marshal  
*DOE*

Eric Masanet  
*Northwestern University*

Jack Mayernik  
*DOE*

Kathryn McCarthy  
*Idaho National Laboratory*

Mike McKittrick  
*DOE*

Gail McLean  
*DOE*

Alan Meier  
*Lawrence Berkeley  
National Laboratory*

Marc Melaina  
*National Renewable  
Energy Laboratory*

David C. Miller  
*National Energy  
Technology Laboratory*

Subhashree Mishra  
*DOE (AAAS Fellow)*

Mark Morgan  
*Pacific Northwest  
National Laboratory*

Geoff Morrison  
*DOE*

William R. Morrow, III  
*Lawrence Berkeley  
National Laboratory*

James Murphy  
*DOE*

Gene Nardella  
*DOE*

Jay Nathwani  
*DOE*

Brent Nelson  
*DOE*

Sachin Nimbalkar  
*Oak Ridge National  
Laboratory*

Olayinka Ogunsola  
*DOE*

Ed Owens  
*DOE*

Burak Ozpineci  
*Oak Ridge National  
Laboratory*

Dimitrios Papageorgopoulos  
*DOE*

Mike Penev  
*National Renewable  
Energy Laboratory*

Mark Peters  
*Argonne National Laboratory*

David Petti  
*Idaho National Laboratory*

Tanja Pietrass  
*DOE*

Anand Raghunathan  
*Energetics*

James Rhyne  
*DOE*

Matthew Riddle  
*University of Massachusetts*

Brian Robinson  
*DOE*

Gary Rochau  
*Sandia National Laboratories*

Traci Rodosta  
*National Energy  
Technology Laboratory*

Susan Rogers  
*DOE*

Robert Romanosky  
*National Energy  
Technology Laboratory*

Amir Roth  
*DOE*

Tom Russell  
*DOE*

William Sanders  
*University of Illinois*

Sunita Satyapal  
*DOE*

Erin Searcy  
*DOE*

Arman Shehabi  
*Lawrence Berkeley  
National Laboratory*

John H. Shinn  
*Carbon Capture  
Simulation Initiative*

Anna Shipley  
*SRA International*

James Siegrist  
*DOE*

Jerry Simmons  
*Sandia National Laboratories*

Wade Sisk  
*DOE*

Eric Smistad  
*National Energy  
Technology Laboratory*

Sarah Smith  
*Lawrence Berkeley  
National Laboratory*

Jacob Spendelow  
*Los Alamos National  
Laboratory*

Thomas Stephens  
*Argonne National Laboratory*

Ned Stetson  
*DOE*

John Storey  
*Oak Ridge National Laboratory*

Kevin Stork  
*DOE*

Sarah Studer  
*DOE*

Deborah Sunter  
*DOE*

Erika Sutherland  
*DOE*

Ed Synakowski  
*DOE*

Timothy Theiss  
*Oak Ridge National Laboratory*

Arvind Thekdi  
*Energy and Environmental  
Efficiency Management, Inc*

Claudia Tighe  
*DOE*

Tony Tubiolo  
*DOE*

Paul Turinsky  
*North Carolina  
State University*

Rich Tusing  
*DOE*

Bradley Ullrick  
*Argonne National Laboratory*

Michael Ulsh  
*National Renewable  
Energy Laboratory*

Alfonso Valdes  
*Trustworthy Cyber  
Infrastructure for  
the Power Grid*

James Van Dam  
*DOE*

John Vetrano  
*DOE*

Laura Vimmerstedt  
*National Renewable  
Energy Laboratory*

Kelly Visconti  
*DOE*

Anant Vyas  
*Argonne National Laboratory*

Brian Walker  
*DOE (AAAS Fellow)*

Hsin Wang  
*Oak Ridge National  
Laboratory*

Sharlene Weatherwax  
*DOE*

Devin West  
*Oak Ridge National  
Laboratory*

John Wimer  
*National Energy  
Technology Laboratory*

Joyce Yang  
*DOE*

Yan (Joann) Zhou  
*Argonne National Laboratory*



## Reviewers

Extensive stakeholder inputs and peer reviews were considered in the drafting of this report. The external reviewers selected were all recognized experts in science and energy technology RDD&D. Their advice was considered on that basis, not as representatives of any particular organization or institution. Their comments were incorporated as appropriate, which greatly improved the accuracy and quality of the report. Any remaining inconsistencies or errors are not to be attributed to the reviewers. The individuals that participated in the review process are listed below. Their organizational affiliation is listed only to assist in identification and does not imply any form of endorsement.

Kev Adjemian  
*Idaho National Laboratory*

David Allen  
*University of Texas*

Tim Allison  
*Southwest Research Institute*

Laura Diaz Anadon  
*Harvard University*

Iver Anderson  
*Ames National Lab*

Brian Anderson  
*West Virginia University*

Stacy Angel  
*EPA*

Don Anton  
*Savannah River  
National Laboratory*

Chris Apblett  
*Sandia National Laboratories*

Doug Arent  
*National Renewable  
Energy Laboratory*

Renata Arsenault  
*Ford Motor Company*

Ed Arthur  
*University of New Mexico*

Terry Aselage  
*Sandia National Laboratories*

Misra Ashutosh  
*ITN Energy Systems*

Stan Atcitty  
*Sandia National Laboratories*

Robert D. Atkinson  
*The Information  
Technology & Innovation  
Foundation*

Chad Augustine  
*National Renewable  
Energy Laboratory*

Richard Axelbaum  
*Washington University,  
St. Louis*

Kathy Ayers  
*Proton Energy Systems*

Justin Baca  
*Solar Energy Industry  
Association*

Joe Badin  
*USDA*

Grechen Baier  
*The Dow Chemical Company*

Erin Baker  
*University of Massachusetts*

William Ball  
*Southern Company*

Xuegang (Jeff) Ban  
*Rensselaer Polytechnic  
Institute*

Suji Banerjee  
*Monolith Semiconductor*

Ezra Bar Ziv  
*Michigan Tech University*

Galen Barbose  
*Lawrence Berkeley  
National Laboratory*

Yaneer Bar-Yam  
*New England Complex  
Systems Institute*

Mary Rose Bayer  
*EPA*

Kristin Bennett  
*kbScience*

Crystal Bergeman  
*HUD*

Alan Berscheid  
*Los Alamos National  
Laboratory*

Dipka Bhambhani  
*Breitling Energy*

Abhoyjit Bhowm  
*Electric Power Research  
Institute*

Jim Biershenk  
*Marlow Industries*

Gil Bindewald  
*DOE*

Doug Blankenship  
*Sandia National Laboratory*

Richard Boardman  
*Idaho National Laboratory*

William B. Bonvillian  
*Massachusetts Institute  
of Technology*

Rod Borup  
*Los Alamos National  
Laboratory*

Anjan Bose  
*Washington State University*

Terry Boss  
*Interstate Natural Gas  
Association of America*

Steve Bossart  
*National Energy Technology  
Laboratory*

Paul Boyd  
*Pacific Northwest National  
Laboratory*

Howard Branz  
*DOE*

Gerry Braun  
*University of California, Davis*

Jeanne Briskin  
*EPA*

Arturo Bronson  
*University of  
Texas at El Paso*

Marilyn Brown  
*Georgia Institute of  
Technology*

Esther Bryan  
*DOE*

Paul Bryan  
*University of California  
Berkeley*

Jonathon Burbaum  
*DOE*

Vann Bush  
*Gas Technology Institute*

Thomas Butcher  
*Brookhaven National  
Laboratory*

Sandy Butterfield  
*NWTC*

John Cabaniss  
*DOE*

Elizabeth Cantwell  
*Arizona State University*

Stewart Cedres  
*DOE*

Cheryl L. Cejka  
*Sandia National Laboratories*

Paul Centolella  
*Paul Centolella & Associates*

Luis Cerezo  
*EPRI*

Ruey Chen  
*NSF*

Charlie Chen  
*Energetics*

Gang Chen  
*Massachusetts Institute  
of Technology*

Chen Chen  
*Argonne National Laboratory*

Andrea Cherepy  
*EPA*

Diane Chinn  
*Lawrence Livermore  
National Laboratory*

Lalit Chordia  
*Thar Energy LLC*

Srabanti Chowdhury  
*Arizona State University*

Peter Christensen  
*Pacific Northwest  
National Laboratory*

Craig Christenson  
*Turbine Technology Partners*

David Claridge  
*Texas A&M*

Charlton Clark  
*DOE*

Steven Clark  
*Chrysler Corporation*

John Clarke  
*Industrial Heating Equipment  
Association*

Kipp Coddington  
*University of Wyoming*

James Cole  
*Idaho National Laboratory*

Tim Collett  
*USGS*

Regis Conrad  
*DOE*

Guenter Conzelmann  
*Argonne National Laboratory*

Ben Cook  
*NASA*

Khershed Cooper  
*National Science Foundation*

Doug Crawford  
*Genomics Institute*

Michael Crawford  
*DuPont*

Mary Ann Curran  
*BAMAC, Ltd.*

Aiguo Dai  
*State University of New York  
- Albany*

Abigail Daken  
*EPA*

Jeff Daniels  
*The Ohio State University*

Edward Daniels  
*Argonne National Laboratory*

Sujit Das  
*Oak Ridge National  
Laboratory*

John Davinson  
*IEA*

Jim Davis  
*University of California,  
Los Angeles*

Steven Davis  
*University of California, Irvine*

Joe Decarolis  
*North Carolina State  
University*

Mark DeFigueiredo  
*EPA*

Phil DiPietro  
*GE*

Ian Dobson  
*Iowa State University*

Steve Duclos  
*GE*

Catherine Dunwoody  
*California Air Resources  
Board*

Steve Durbin  
*Purdue University*

Betsy Dutrow  
*EPA*

Jim Easterly  
*Black & Veatch*



Laurence Eaton  
*Oak Ridge National  
Laboratory*

Matthew Eckelman  
*Northeastern University*

Elizabeth Eide  
*National Academy of Sciences*

Jack Eisenhower  
*Nexight Group*

Bruce Eldridge  
*University of Texas*

Mark Elless  
*DOE*

Ross Elliott  
*EPA*

Derek Elsworth  
*Penn State*

Marleen Esprit  
*Umicore*

Joe Eto  
*Lawrence Berkeley  
National Laboratory*

Paul Evans  
*University of Wisconsin*

Ron Faibish  
*DOE*

Srinivas Farimella  
*Georgia Institute of  
Technology*

John Farrell  
*National Renewable  
Energy Laboratory*

Cynthia Feller  
*Ames National Lab*

Thomas Felter  
*Sandia National Laboratories*

Mike Fero  
*TeslaGen*

Rob Finley  
*University of Illinois*

Bill Flanagan  
*GE*

Jean-Pierre Fleuriel  
*NASA Jet Propulsion  
Laboratory*

Mike Focazio  
*USGS*

Charles Forsberg  
*Massachusetts Institute  
of Technology*

Rita Foster  
*Idaho National Laboratory*

Michel Fouré  
*Lawrence Berkeley  
National Laboratory*

Joe Fowler  
*Stress Engineering*

Amy Francetic  
*Clean Energy Trust*

Pamela Franklin  
*EPA*

Joe Frantz  
*Range Resources*

Kristina Friedman  
*EPA*

Daniel Friend  
*NIST*

Steve Fruh  
*EPA*

Matt Frye  
*BOEM*

Erica R.H. Fuchs  
*Carnegie Mellon University*

Peter Fuhr  
*Oak Ridge National  
Laboratory*

Brent Fultz  
*California Institute of  
Technology*

Anne Gaffney  
*Idaho National Laboratory*

John Gale  
*International Energy Agency*

Josh Gange  
*NOAA*

Srinivas Garimella  
*Georgia Institute of  
Technology*

Jay Garland  
*EPA*

Clark Gellings  
*EPRI*

Sarah Genovese  
*GE*

Hossein Ghezeli-Ayagh  
*FuelCell Energy*

Dolf Gielen  
*IRENA*

Ken Gillingham  
*Yale University*

Jill Glass  
*Sandia National Laboratories*

Leo Goff  
*ACARYIS, CNA Corporation*

Mike Goff  
*Idaho National Laboratory*

Jarett Goldsmith  
*DNV GL*

Barb Goodman  
*National Renewable  
Energy Laboratory*

Tip Goodwin  
*Oncor Electric Delivery*

Anand Gopal  
*Lawrence Berkeley  
National Laboratory*

Bhaskaran Gopalakrishnan  
*West Virginia University*

Avi Gopstein  
*U.S. Department of State*

Charles Gorecki  
*UNDEERC*

Alison Gotkin  
*UTRC*

David Gotthold  
*Pacific Northwest  
National Laboratory*

Tom Graedel  
*Yale University*

Sallie Greenberg  
*University of Illinois*

David Greene  
*University of Tennessee*

Chris Greer  
*NIST*

David Greves  
*Carnegie Mellon University*

Teresa Grocela-Rocha  
*GE*

Ignacio Grossman  
*Carnegie Mellon University*

Neeraj Gupta  
*Battelle*

Angela Hackel  
*EPA*

Nancy Haegel  
*National Renewable Energy  
Laboratory*

Christian Hageleuken  
*Umicore*

Michael Hagood  
*Idaho National Laboratory*

Ian Hamos  
*DOE*

Rachna Handa  
*DOE*

Bryan Hannegan  
*National Renewable  
Energy Laboratory*

John Harju  
*UNDEERC*

Mike Harpster  
*General Motors*

Debbie Haught  
*DOE*

Rich Haut  
*Houston Advanced  
Research Center*

Troy Hawkins  
*Enviance*

Carla Heathman  
*Idaho National Laboratory*

Christopher Hedge  
*NOAA*

Grant Heffelfinger  
*Sandia National Laboratories*

Allen Hefner  
*NIST*

Michael Heitkamp  
*Savannah River National  
Laboratory*

James Hemby  
*EPA*

Craig Henderson  
*DOE*

James Hendler  
*Rensselaer Polytechnic  
Institute*

Jeff Hendrix  
*MRCComposites*

Tom Hennebel  
*University of California,  
Berkeley*

Jordan Henry  
*Sandia National Laboratories*

Steve Herring  
*Idaho National Laboratory*

Howard Herzog  
*Massachusetts Institute  
of Technology*

John Hofmeister  
*Lufkin*

Patrick Holman  
*DOE*

Susan Holmes  
*NOAA*

Roland Horne  
*Stanford University*

David Horton  
*FERC*

Linda Horton  
*DOE*

Nancy Horton  
*Energy Industries of Ohio, Inc.*

Marc Houyoux  
*EPA*

Sue Hovorka  
*UT-BEG*

David Howard  
*DOE*

John Hryn  
*Argonne National Laboratory*

Solomon Hsiang  
*University of California,  
Berkeley*

Henry Huang  
*Pacific Northwest  
National Laboratory*

David Hungerford  
*California Energy Commission*

Daniel Hussey  
*NIST*

Dennis Hussey  
*EPRI*

Nick Hutson  
*EPA*

Mike Hyland  
*American Public  
Power Association*

Britt Ide  
*Ide Law Strategy*

George Imel  
*Idaho State University*

Bill Irving  
*EPA*

Chris Irwin  
*DOE*

Kyle Isakower  
*American Petroleum Institute*

Cindy Jacobs  
*EPA*

Don Jacobsen  
*Noble Corporation*

David Jacobson  
*NIST*

Kristina Johnson  
*Enduring Hydro*

Tom Johnson  
*Southern Company*

Eddie Johnston  
*Gas Technology Institute*

Mark Jonkhof  
*GE*

Ajey Joshi  
*Applied Materials*

David Julius  
*Duke Energy*

Andy Kadak  
*Exponent*

Landis Kannberg  
*Pacific Northwest  
National Laboratory*

Anhar Karimjee  
*EPA*





Akhlesh Kaushiva  
*DOE*

Curtis Keliiaa  
*Sandia National Laboratories*

Klaus Keller  
*Penn State University*

Jay Keller  
*Sandia National  
Laboratories (retired)*

Sean Kelly  
*Praxair*

Mack Kennedy  
*Lawrence Berkeley  
National Laboratory*

John Kessler  
*EPRI*

Jim Ketcham-Colwill  
*EPA*

Haroon Khashji  
*Exxon Mobile*

Himanshu Khurana  
*Honeywell*

Ed Kiczek  
*Airproducts*

Hyung Chul Kim  
*Ford Motor Company*

Joyce Kim  
*DOE*

Thomas King, Jr.  
*Oak Ridge  
National Laboratory*

Michael Kintner-Meyer  
*Lawrence Berkeley  
National Laboratory*

Randolph Kirchain  
*Massachusetts Institute  
of Technology*

Harold Kirkham  
*Pacific Northwest  
National Laboratory*

Lindsay Kishter  
*Nexight Group*

James Klausner  
*DOE*

Andrew Klein  
*Oregon State University*

Robert Kleinberg  
*Schlumberger*

Lingard Knutson  
*EPA*

Bruce Kobelski  
*EPA*

Mike Koerber  
*EPA*

Tim Konnert  
*FERC*

John Kopasz  
*Argonne National Laboratory*

George Koperna  
*Advanced Resources  
International*

David Koppenaal  
*Pacific Northwest  
National Laboratory*

Vladimir Koritarov  
*Argonne National Laboratory*

Bruce Kramer  
*NSF*

Ben Kroposki  
*National Renewable  
Energy Laboratory*

Anthony Ku  
*GE*

Abhai Kumar  
*ANSER*

Hannes Kunz  
*ABY*

Thomas Kurfess  
*Georgia Institute of  
Technology*

Ellen Kurlansky  
*EPA*

Greg Kusinski  
*Chevron*

Roxann Laird  
*Southern Company*

Eric Larson  
*Princeton University*

Alan Lauder  
*CCAS*

Jeff Leahey  
*National Hydropower  
Association*

Fred Leavitt  
*Hi-Z*

Audrey Lee  
*Advanced Microgrid Systems*

Chun-Wai Lee  
*EPA*

Richard LeSar  
*Iowa State University*

Reenst Lesemann  
*Columbia Power*

David Lesmes  
*DOE*

Robie Lewis  
*DOE*

T-G Lian  
*EPRI*

Yanna Liang  
*Southern Illinois University*

JoAnn Lighty  
*NSF*

Bill Linak  
*EPA*

Kunlei Liu  
*University of Kentucky*

Yilu Liu  
*Oak Ridge National  
Laboratory*

Ping Liu  
*DOE*

Eric Loewen  
*GE*

Despina Louca  
*University of Virginia*

Xianoan Lu  
*Argonne National Laboratory*

Kevin Lynn  
*DOE*

Jim Lyons  
*Capricorn Investment Group*

Don MacKenzie  
*University of Washington*

Bill Macleod  
*Hyundai-DC*

Peter Madsen  
*Technical University  
of Denmark*

Jorge Magalhaes <i>Vestas</i>	Jim McMahon <i>Cal Energy and Climate</i>	Ed Morris <i>America Makes - NAMII</i>
Ernie Majer <i>Lawrence Berkeley National Laboratory</i>	Steve McMaster <i>DOE</i>	Jacob Moss <i>EPA</i>
Dawn Manley <i>Sandia National Laboratories</i>	Brian McPherson <i>Southwest Partnership</i>	Ralph Mueleisen <i>Argonne National Laboratory</i>
Margaret Mann <i>National Renewable Energy Laboratory</i>	Shreyes Melkote <i>Georgia Institute of Technology</i>	Michael Muller <i>Rutgers</i>
Mike Manwaring <i>MWH</i>	Rob Mellors <i>Lawrence Livermore National Laboratory</i>	David Murphy <i>St Lawrence University</i>
Jason Marcinkoski <i>Fuel Cell Technologies Office</i>	Steve Melzer <i>Consultant</i>	Lawrence Murphy <i>P4EP</i>
Jan Mares <i>Resources for the Future</i>	Robert Meyers <i>EPA</i>	Vinod Narayanan <i>University of California, Davis</i>
John L. Marion <i>Alstom Power, Inc.</i>	Vijay Mhetar <i>General Cable Corporation</i>	Jim Nash <i>Brayton Energy</i>
John Marra <i>Savannah River National Laboratory</i>	Andrew Michener <i>International Energy Agency</i>	Greg Nemet <i>University of Wisconsin</i>
Mitolo Massimo <i>Eaton Corporation</i>	Doug Middleton <i>DOE</i>	Stuart Nemser <i>Compact Membrane Systems</i>
Regis Matzie <i>Westinghouse</i>	Craig Miller <i>National Rural Electric Cooperative Association</i>	Robin Newmark <i>National Renewable Energy Laboratory</i>
James Maughan <i>GE</i>	Jim Miller <i>Argonne National Laboratory</i>	Norris Nicholson <i>USDA</i>
Michael Max <i>Hydrate Energy International</i>	Ted Miller <i>Ford Motor Company</i>	Christopher Noble <i>Massachusetts Institute of Technology</i>
Michael McAdams <i>Advanced Biofuels Association</i>	Liang Min <i>Lawrence Livermore National Laboratory</i>	Bruce Nordman <i>Lawrence Berkeley National Laboratory</i>
David McCarthy <i>Air Products</i>	Florence Mingardon <i>Total</i>	John Northington <i>Southern Company</i>
Tom McCarthy <i>Ford Motor Company</i>	Rob Mitchell <i>USDA</i>	Frank Novacheck <i>Xcel Energy</i>
Dan McConnell <i>Fugro</i>	Darren Mollot <i>DOE</i>	Paul Ohodnicki <i>National Energy Technology Laboratory</i>
Colin McCormick <i>General Motors</i>	Dave Mooney <i>National Renewable Energy Laboratory</i>	Sara Ohrel <i>EPA</i>
Tim McDonald <i>USDA</i>	Mark Morgan <i>Pacific Northwest National Laboratory</i>	Mark O'Malley <i>UC Dublin</i>
Mike McElfresh <i>Argonne National Laboratory</i>	George Moridis <i>Lawrence Berkeley National Laboratory</i>	Dale Osborn <i>Midcontinent Independent System Operator</i>
A. McKane <i>Lawrence Berkeley National Laboratory</i>		Ralph Overend <i>National Renewable Energy Laboratory (Retired)</i>



Mike Pacheco  
*National Renewable  
Energy Laboratory*

Asanga Padmaperuma  
*Pacific Northwest  
National Laboratory*

Joe Paladino  
*DOE*

Chris Paredis  
*National Science Foundation*

Danny Parker  
*University of Central Florida*

Seth Parker  
*Levitan*

George Parks  
*Fuel Science*

ZhiJan Pei  
*NSF*

Leslie Perkins  
*USAF*

Donna Perla  
*EPA*

Kent Peters  
*DOE*

Tanja Pietrass  
*DOE*

Rob Podgorney  
*Idaho National Laboratory*

Brian Polagye  
*University of Washington*

Dana Powers  
*Sandia National Laboratories*

Rick Pratt  
*Pacific Northwest  
National Laboratory*

Rob Pratt  
*Pacific Northwest  
National Laboratory*

Frank Princiotta  
*EPA*

Betty Pun  
*Chevron*

Junjian Qi  
*Argonne National Laboratory*

Feng Qiu  
*Argonne National Laboratory*

Verena Radulovic  
*EPA*

Varun Rai  
*University of Texas, Austin*

Noorie Rajvanshi  
*Siemens*

Anand Rao  
*Independent Consultant*

Robert Rapier  
*Tenaciousdna*

Phil Rasch  
*Pacific Northwest  
National Laboratory*

Dan Rastler  
*EPRI*

Jeff Reed  
*Sempra Energy Utilities*

Joy Rempe  
*Idaho National Laboratory*

Joel Renner  
*National Renewable  
Energy Laboratory*

Mark Rice  
*Pacific Northwest  
National Laboratory*

Craig Rieger  
*Idaho National Laboratory*

Bob Rose  
*EPA*

Mike Rottmayer  
*U.S. Air Force*

Edward Rubin  
*Carnegie Mellon University*

Pablo Ruiz  
*The Brattle Group*

Dave Russ  
*USGS*

Harvey Sachs  
*American Council for an  
Energy Efficient Economy*

William Sanders  
*University of Illinois -  
Urbana-Champaign*

Linda Sapochak  
*National Science Foundation*

Hamid Sarv  
*Babcock & Wilcox*

Roger Sathre  
*Lawrence Berkeley  
National Laboratory*

Genevieve Saur  
*National Renewable  
Energy Laboratory*

Buzz Savage  
*Independent Consultant*

Maxine Savitz  
*Honeywell (ret.)*

Samveg Saxena  
*Lawrence Berkeley  
National Laboratory*

George Schatz  
*Northwestern University*

Joe Schatz  
*Southern Company*

Rich Scheer  
*Scheer Ventures LLC*

David Schmalzer  
*Argonne National Laboratory*

Kevin Schneider  
*Pacific Northwest  
National Laboratory*

Ron Schoff  
*Clean Global Energy*

Laura Schoppe  
*Fuentek*

Art Schroder  
*Energy Valley*

Dan Schultheisz  
*EPA*

Arah Schuur  
*HUD*

James Scofield  
*Air Force Research Lab*

Charles Scouten  
*Fusfeld Group*

Corinne Scown  
*Lawrence Berkeley  
National Laboratory*

Jean Scoyer  
*Scaron Consulting*

Charles Scozzie  
*Army Research Lab*

Richard Sears  
*Stanford University*

Mark Segal <i>EPA</i>	Thomas Speth <i>EPA</i>	Scott Tinker <i>Bureau of Economic Geology</i>
Robert Shaw <i>Aretê Corporation</i>	Siva Srinivasan <i>University of Florida</i>	Jessika Trancik <i>Massachusetts Institute of Technology</i>
Eric Shiff <i>DOE</i>	Ravi Srivastava <i>EPA</i>	Robert Tribble <i>Brookhaven National Laboratory</i>
David Shiffer <i>ONR</i>	Ed Steadman <i>UNDEERC</i>	Diane Turchetta <i>U.S. Department of Transportation</i>
Willy Shih <i>Harvard Business School</i>	John Sterling <i>Solar Electric Power Association</i>	Jason Turgeon <i>EPA</i>
Drew Shindell <i>Duke University</i>	Henrik Stiesdal <i>Siemens</i>	Paul Turinsky <i>North Carolina State University</i>
John Shingledecker <i>Electric Power Research Institute</i>	Bryce Stokes <i>AST</i>	Michael Ulsh <i>National Renewable Energy Laboratory</i>
Abhyankar Shrirang <i>Argonne National Laboratory</i>	Rob Stoner <i>Massachusetts Institute of Technology</i>	Baskar Vairamohan <i>EPRI</i>
Dale Simbeck <i>SFA Pacific</i>	Stephen Streiffer <i>Argonne National Laboratory</i>	Vicky VanZandt <i>Electric Transmission Consulting</i>
Karl Simon <i>EPA</i>	Ray Stults <i>National Renewable Energy Laboratory</i>	Ron Vance <i>EPA</i>
Gupreet Singh <i>DOE</i>	Tia Sutton <i>EPA</i>	Mark Verbrugge <i>General Motors</i>
Ramteen Sioshansi <i>The Ohio State University</i>	Jim Sweeney <i>Stanford University</i>	John Vetrano <i>DOE</i>
Wade Sisk <i>DOE</i>	Madhava Syamlal <i>National Energy Technology Laboratory</i>	Phil Vitale <i>U.S. Navy</i>
Charlie Smith <i>Utility Variable-Generation Integration Group</i>	Jeffrey Taft <i>Pacific Northwest National Laboratory</i>	Bill Vocke <i>USCG</i>
Merrill Smith <i>DOE</i>	Taro Takahashi <i>Columbia University</i>	Zia Wadud <i>University of Leeds</i>
Steve Smith <i>Pacific Northwest National Laboratory</i>	Lanetra Tate <i>NASA</i>	Marianne Walck <i>Sandia National Laboratories</i>
Shahab Sokhansanj <i>Oak Ridge National Laboratory</i>	Emmanuel Taylor <i>DOE</i>	Brian Walker <i>DOE</i>
Christopher Soles <i>NIST</i>	Mark Taylor <i>Corning Inc.</i>	Doug Wall <i>Sandia National Laboratories</i>
Arun Solomon <i>General Motors</i>	Kevin Teichman <i>EPA</i>	Doug Wall <i>Sandia National Laboratories</i>
Andrew Sowder <i>EPRI</i>	Steve Thomas <i>DOE</i>	Dan Walsh <i>NRECA</i>
Taylor Sparks <i>University of Utah</i>	Bob Thompson <i>EPA</i>	



Annie Wang  
*Senvol*

John Wang  
*Oak Ridge National  
Laboratory*

Haizhong Wang  
*Oregon State University*

Steve Wasserman  
*Eli Lilly & Co.*

Robert J. Wayland  
*EPA*

Melissa Weitz  
*EPA*

Christian Wetzel  
*Rensselaer Polytechnic  
Institute*

John Weyant  
*Stanford University*

Michael Whelan  
*Pipeline Research  
Council International*

Kate Whitefoot  
*National Academy of  
Engineering*

Susan Wickwire  
*EPA*

Angus Wilkinson  
*Georgia Institute of  
Technology*

Ellen Williams  
*DOE*

Robert Williams  
*Princeton University*

Jim Williams  
*E3*

Tracy Williamson  
*EPA*

Daryl Wilson  
*Hydrogenics*

Mary Wilson  
*WZI, Inc*

Paul Wilson  
*University of Wisconsin*

Bob Wimmer  
*Toyota Motor  
North America, Inc.*

Jamie Winebrake  
*Rochester Institute of  
Technology*

Ryan Wiser  
*Lawrence Berkeley  
National Laboratory*

Frank Wolak  
*FuelCell Energy*

Jetta Wong  
*DOE*

Frances Wood  
*OnLocation*

Margaret Wooldridge  
*University of Michigan*

Thomas Wunsch  
*Sandia National Laboratories*

Hongjun Yang  
*Semerane Inc.*

Jeff Yang  
*EPA*

George Q. Zhang  
*ABB*

Carl Zichella  
*Natural Resources  
Defense Council*

## Glossary

<b>ab initio</b>	From first principles. In science, a method is considered ab initio if it relies only on the established laws of nature and does not utilize assumptions or special models.
<b>aberration</b>	In optics, the failure of rays to converge at a single focus because of defects in a lens or mirror, leading to a blurring of the image produced. Similarly, in electron microscopy aberration leads to a blurring of the sample image, reducing the minimum attainable resolution.
<b>absorption heat transformer</b>	A device with the ability to raise the temperature of low or medium heat to higher, more useful temperature.
<b>additive manufacturing</b>	A class of processes that builds up objects by adding material, rather than using subtractive processes such as milling and machining. This is also known as 3D printing.
<b>advanced metering infrastructure</b>	Integrated system of smart meters, communications networks, and data management systems that enables two-way communication between utilities and customers.
<b>advanced ultra-supercritical</b>	Advanced ultra-supercritical (A-USC) pulverized coal power plants use steam cycle temperatures above 650°C (1202°F) to increase overall plant efficiency. USC steam temperatures are limited to approximately 627°C (1160°F) by the use of ferritic steels.
<b>albedo</b>	The fraction of incident light reflected from a surface, such as from the earth back into space.
<b>Alpha decay</b>	A mechanism of radioactive decay in which the radioisotope emits an alpha particle, undergoing a change to another element having a mass number reduced by four and an atomic number reduced by two.
<b>alpha emitter</b>	A radioisotope that undergoes alpha decay.
<b>alpha particle</b>	A helium nucleus, which contains two protons and two neutrons. It has an electric charge of +2, and an energy of approximately five megaelectron volts.
<b>alternating current</b>	An electric current that oscillates between positive and negative values at a fixed frequency.
<b>Archaea</b>	The biological kingdom of single celled organisms called prokaryotes having no cell nucleus or other membrane bound organelles.
<b>Atomic layer deposition</b>	A thin film deposition technique based on the sequential use of two (or more) gas phase chemicals (precursors) that react with a surface until all exposed sites are consumed (self-limiting). Through repeated exposure to each precursor, a thin film is deposited. In contrast to chemical vapor deposition, the precursors are never present at the same time.



<b>auxiliary loads</b>	The power required to power ancillary equipment in a power plant, such as fans and pumps.
<b>auxiliary power unit</b>	A device on a vehicle (truck, airplane, etc.) that provides power to start engines, run support equipment, or serve as backup power.
<b>B20</b>	A fuel composed of 80% petroleum based diesel fuel and 20% bio diesel that is typically made from soybean, canola, or other vegetable oils, animal fats, or recycled grease.
<b>balancing area</b>	A geographic segment of the electric power system in which electrical balance is maintained between resources and loads.
<b>base-load power plant</b>	A plant, usually housing high-efficiency steam-electric units, which is normally operated to take all or part of the minimum load of a system, and which consequently produces electricity at an essentially constant rate and runs continuously.
<b>beam emittance</b>	The properties of a particle beam in an accelerator, describing the size of the source and the divergence of the beam.
<b>biogenic</b>	Produced by biological processes of living organisms.
<b>biomass gasification with carbon capture and storage</b>	A power generation plant that gasifies biomass with the resulting synthetic gas used to fire a combined-cycle unit to produce electricity with the waste carbon dioxide being stored rather than vented to the atmosphere.
<b>biomass-to-liquids</b>	A process that converts biomass into a syngas which is then converted into liquid hydrocarbons.
<b>black start</b>	The process of restoring a power station to operation without relying on the external electric power transmission network.
<b>blowout preventer</b>	A piece of equipment used to control the flow of oil and gas from wells and prevent an uncontrolled release from the well.
<b>Brayton cycle</b>	A thermodynamic cycle that describes the workings of a constant pressure heat engine.
<b>British thermal unit</b>	The quantity of heat required to raise the temperature of one pound of liquid water by one degree Fahrenheit.
<b>burning plasma</b>	A condition wherein the energy produced by nuclear fusion within a confined plasma is sufficient to maintain the plasma temperature, i.e. the energy output is greater than the energy input.
<b>CAFE</b>	The Corporate Average Fuel Economy standard was first enacted by the U.S. Congress in 1975 and sets average fuel economy standards across a fleet of vehicles produced by an individual manufacturer.
<b>calutron</b>	A mass spectrometer used to separate the isotopes of an element.
<b>capacitor bank</b>	A passive electrical component used to improve the quality of power delivery by sourcing reactive power.
<b>capacity factor</b>	The ratio of the electrical energy produced by a generating unit for the period of time considered to the electrical energy that could have been produced at continuous full power operation during the same period.
<b>carbon capture and storage</b>	The process of capturing waste carbon dioxide from a source, such as fossil fuel power plants, and storing it where it will not enter the atmosphere.

<b>cascading effect</b>	A chain of events due to an initial disturbance that propagates across the system.
<b>catalyst</b>	A molecule or material that accelerates the rate of a chemical reaction without undergoing a permanent change itself. Catalysts exist either in the same phase (homogeneous) or a different phase (heterogeneous) relative to the reactant.
<b>central generators</b>	Centrally dispatched power-generating technologies that are connected to an electricity grid.
<b>chained dollars</b>	A measure used to express real prices. Real prices are those that have been adjusted to remove the effect of changes in the purchasing power of the dollar; they usually reflect buying power relative to a reference year.
<b>circuit breaker</b>	A critical component of the electric power system used to ensure safety and protection of assets by separating and isolating segments of the electric power system.
<b>clean energy manufacturing</b>	The manufacture of goods in a manner that reduces the environmental impacts associated with the manufacture, use, and/or disposal of the products.
<b>cloud condensation nuclei</b>	Small particles upon which water condenses that serve as the precursors to cloud formation.
<b>CO<sub>2</sub> equivalent</b>	A measure used to compare the emissions from various greenhouse gases based upon their global warming potential in units that are equivalent to that of carbon dioxide (CO <sub>2</sub> ).
<b>coal-to-liquids</b>	A process that converts coal into a syngas which is then converted into liquid hydrocarbons.
<b>co-design</b>	In science and engineering, a design methodology wherein the requirements of the problem to be solved are considered when designing the system that will be used to solve the problem.
<b>colossal magnetoresistance</b>	A property of some materials that enables them to dramatically change their electrical resistance in the presence of an external magnetic field.
<b>combined heat and power</b>	A power generating unit designed to produce both electricity and heat from a fuel source, increasing system efficiency.
<b>combined heat and power</b>	The concurrent production of electricity or mechanical power and useful thermal energy from a single energy input.
<b>compressed air energy storage</b>	The storage of compressed air in a container, usually an underground cavern, for later expansion through a turbine to generate electricity.
<b>compressed natural gas</b>	Natural gas compressed to a pressure at or above 200–248 bar (i.e., 2,900–3,600 pounds per square inch) and stored in high-pressure containers. It is used as a fuel for natural gas-powered vehicles.
<b>computational fluid dynamics</b>	A branch of fluid mechanics that uses computers to solve problems of fluid flow using numerical analysis and algorithms.
<b>computational manufacturing</b>	The use of computational tools such as modeling, simulation, and control systems to improve and regulate manufacturing processes or develop novel materials and products.





<b>concentrating solar power</b>	A solar energy conversion system characterized by the optical concentration of solar rays through an arrangement of mirrors to generate a high-temperature working fluid that is then used in a steam or gas turbine to generate electricity.
<b>conservation voltage reduction</b>	A strategy to reduce energy consumption by reducing the voltage along distribution feeders while staying within limits needed for equipment to operate properly.
<b>core damage frequency</b>	An expression of the likelihood that, given the way a reactor is designed and operated, an accident could cause the fuel in the reactor to be damaged.
<b>critical material</b>	A material of high economic importance that is at risk of supply disruption due to challenges such as a small global market, lack of supply diversity, or geopolitical risk.
<b>cycle life</b>	The number of charge/discharge cycles that a battery is able to support for a given depth-of-discharge within its useful life.
<b>day ahead markets</b>	Forward electricity markets where participants commit to buy or sell wholesale electricity a day in advance to help avoid price volatility.
<b>demand controlled ventilation</b>	A system which automatically adjusts the operation of ventilation equipment, either through a timed schedule or occupancy sensors, to meet ventilation requirements.
<b>demand-side management</b>	Utility programs that incentivize consumers to shift electricity use away from periods of peak demand (e.g., via load shifting), and to reduce electricity use overall (e.g., via energy efficiency).
<b>density functional theory</b>	A computational quantum mechanical modeling method used to simulate the electronic structure of many-body systems.
<b>depth-of-discharge</b>	A method to indicate a battery's state of charge, where 100% is empty.
<b>diffraction</b>	The process by which incident particles (photons, electrons, protons, neutrons, ions) interact with a periodic structure to produce a characteristic interference pattern. This interference pattern can be used to determine structural properties of a material.
<b>dimethyl ether</b>	A colorless gas that can be produced from natural gas or biomass and can be used as a substitute for liquefied petroleum gas for cooking or industrial uses or as a motor fuel in diesel engines with relatively minor modifications.
<b>direct current</b>	An electric current that flows in one direction.
<b>direct energy conversion</b>	Devices or systems that convert energy from one form to another without intermediate steps.
<b>dispatchable demand resources</b>	Customer demand that can be reduced in response to the utility or grid operator direction to address electricity system peak demand or supply constraints in exchange for a reduction in their electricity bills.
<b>distributed energy resources</b>	Small, modular technologies that can provide electricity or energy services, such as distributed generation and energy storage, that can be placed throughout the grid but typically near customer loads.
<b>distributed generation</b>	A variety of small, modular power-generating technologies that can be placed throughout the grid, particularly on distribution systems. (Note that they do not necessarily have to be combined with storage, etc., and don't necessarily get used to improve operations.)

<b>distribution feeder</b>	Power lines connected to a distribution substation to deliver electricity to customers.
<b>distribution system</b>	The lower voltage portion of the electricity delivery system used to connect supplies, typically from transmission, and distribute it to individual customers in a more confined geographic region.
<b>duck curve</b>	A graphical representation of the net-load curve (total load minus the amount produced by variable generation such as solar) projected for the California Independent System Operator demonstrating the increased need for system flexibility to meet steep ramps.
<b>E15</b>	A fuel containing a mixture of 15 percent ethanol and 85 percent gasoline.
<b>E85</b>	A fuel containing a mixture of 85 percent ethanol and 15 percent gasoline.
<b>edge localized mode</b>	A sudden, intense burst of heat that erupts from the edge of a plasma magnetically confined in a Tokamak fusion device.
<b>electric drive technologies</b>	Technologies that provide propulsion for electric drive vehicles and include power electronics and electric motors.
<b>electric vehicle supply equipment</b>	Equipment that increases the safety and ease of charging electric vehicles by enabling two-way communication between the vehicle and charger.
<b>electric vehicles</b>	A vehicle powered by electricity stored in batteries.
<b>electricity architecture</b>	The collection of relationships, connectivity, interactions, and structures that make up the electric power system spanning the physical, cyber, and human domains.
<b>electrolysis</b>	A process that uses electricity to split water into hydrogen and oxygen.
<b>electron microscopy</b>	A type of microscope that uses a beam of electrons to create an image of a specimen. Due to the very small wavelength of the electron, electron microscopes have much higher resolving power relative to a light microscope, revealing much finer detail of objects.
<b>electron volt</b>	An empirically-derived unit of energy defined as the amount of energy gained or lost by an electron moved across an electrical potential of one volt. It is approximately equal to $1.6 \times 10^{-19}$ joules. It is often expressed in metric multiples (e.g., milli [m], mega [M] or giga [G]).
<b>electronic converter</b>	A technology based on semiconductor devices that change the characteristics of electric power, altering voltage levels or converting between alternating current and direct current.
<b>embodied energy</b>	The energy required to build or manufacture a device or structure, including the energy used to produce the materials in that device or structure.
<b>energy services</b>	Services made possible by energy use such as transportation, heating, light, etc.
<b>energy surety</b>	A guarantee of desired energy system attributes such as safety, security, reliability, sustainability, and cost effectiveness.
<b>enhanced geothermal systems</b>	An enhanced geothermal system is one which creates porosity in hot rock to allow the extraction of heat to drive power generation.
<b>enhanced oil recovery</b>	Techniques that use water, steam, chemical, carbon dioxide flooding, etc., to produce greater amounts of the original oil in a reservoir than would be producible by conventional techniques.



<b>enthalpy</b>	The amount of heat content used or released in a system at constant pressure.
<b>enzyme</b>	A macromolecule that acts as a catalyst for complex biological reactions.
<b>exascale</b>	A term representing a level of computer performance equal to or greater than 1,000 petaflops.
<b>experience curve analysis</b>	A method of projecting the reduction in technology costs over time, usually as a function of increasing volume of production, improvement in manufacturing processes, learning by doing, etc. External factors such as policy or other technology changes can also play a role.
<b>expert elicitation</b>	The use of experts familiar with a technology to supply subjective probability distributions of projected economic, technical, or other characteristics at some future date. Such a method can be used to provide risk and uncertainty estimates in technology forecasts.
<b>fair-weather bias</b>	A potential bias in results due to examining only clear sky conditions.
<b>Fischer-Tropsh</b>	A process that converts a feedstock such as natural gas or coal into a syngas, which is then converted into liquid hydrocarbons.
<b>flaring</b>	The controlled combustion of flammable gases at a refinery or at a wellhead. Often natural gas is flared as a result of the unavailability of a method for transporting such gas to markets.
<b>flexible AC transmission systems</b>	An electronic-based system used to help control of key AC transmission system parameters and increase power transfer capability.
<b>flexible decision making</b>	An approach that considers the full uncertainty in future value, and focuses on potential value if projects or technologies are successful. It relies upon iterative follow-on investment decisions that do not require large outlays of funding at early stages, to reduce uncertainty and increase rate of success.
<b>flexible generators</b>	A electric power generation unit that is readily available and under the direct control of the operator with the ability to change output levels.
<b>flux</b>	The rate of flow of a physical property per unit area.
<b>free-electron laser</b>	The use of very-high speed electrons moving through a regular alternating magnetic structure (undulator) to generate lasing with high peak brilliance. The radiation emitted is widely tunable, from microwave to X-ray band, by adjusting the energy of the electrons or the magnetic field strength of the undulator.
<b>fuel cell</b>	A device that produces electricity through an electrochemical process, usually from hydrogen or from methane, with oxygen, etc.
<b>fuel scheduling</b>	The scheduling of fuel supply for individual generators.
<b>functional annotation</b>	The process of attaching biological information to genomic elements including biochemical function, biological function, regulation, and expression.
<b>gamma radiography</b>	The use of gamma ray photons to image the internal structure of an opaque object.
<b>gas-cooled fast reactor</b>	A next generation reactor that uses helium as a coolant and relies on high-energy "fast" neutrons.

<b>gene expression</b>	The process by which the information contained in a gene is used to synthesize a functional gene product (RNA or protein). Overexpression of a gene results in the synthesis of too many copies of the functional product.
<b>Generation III+ reactor</b>	An advanced, third-generation light water reactor that incorporate new features such as improved safety features and standardized design.
<b>genome</b>	The complete set of DNA, including all of its genes, necessary to build and maintain an organism.
<b>geoengineering</b>	The deliberate, large-scale modification of the earth's natural systems.
<b>geothermal power</b>	Geothermal power uses heat from underground to generate electricity, heat buildings, or for other purposes.
<b>gigabit</b>	A multiple ( $10^9$ ) of the bit, the basic unit of digital information storage, having one of two values (zero or one).
<b>gigaton</b>	One billion metric tons
<b>gigawatt</b>	One billion watts or one thousand megawatts (also GW)
<b>gross domestic product</b>	The total value of goods and services produced by labor and property located in a country.
<b>heat island</b>	An urban area characterized by temperatures higher than those of the surrounding non-urban area. As urban areas develop, buildings, roads, and other infrastructure replace open land and vegetation. These surfaces absorb more solar energy, which can create higher temperatures in urban areas.
<b>heat pump</b>	Technologies that move thermal energy opposite to the direction of normal heat flow, such as by absorbing heat from a cold area and transferring it to a warmer one. During the heating season, heat pumps move heat from the cool outdoors into the warm indoors and during the cooling season, heat pumps move heat from the cool indoors into the warm outdoors.
<b>hierarchical control</b>	A classification of coordination and control of generators and other power system assets based on a top-down relationship.
<b>high-temperature superconductor</b>	A material that shows superconductivity (i.e., zero electrical resistance) at temperatures much higher than traditional superconductors.
<b>higher heating value</b>	The value of the heat of combustion of a fuel that takes into account the heat of vaporization of water.
<b>high-performance computing</b>	The practice of achieving high computing power through massive parallelization of processors to solve very complex problems.
<b>homogeneous charge compression ignition</b>	A type of internal combustion engine process where a well-mixed combination of fuel and air are compressed to the point of ignition without using a spark plug or fuel injector to initiate combustion.
<b>horizontal drilling</b>	A drilling technique where the drill is directed horizontally.
<b>hybrid electric vehicles</b>	A vehicle in which a power plant (e.g., internal combustion engine or fuel cell) powers an electric propulsion system, either exclusively or in parallel with a mechanical drivetrain.



<b>hydraulic fracturing</b>	Fracturing of rock at depth with fluid pressure to increase rock porosity. Hydraulic fracturing at depth may be accomplished by pumping water into a well at very high pressures which can then enable oil or gas production from an otherwise bound source or enable flow of water through a thermal reservoir for geothermal energy production. Under natural conditions, vapor pressure may rise high enough to cause fracturing in a process known as hydrothermal brecciation.
<b>hydrodynamics</b>	A field of physics that deals with the motion of fluids and the forces acting on objects immersed in fluids.
<b>hydropower</b>	The use of flowing water to produce electrical energy.
<b>induced seismicity</b>	Earthquake activity that results from human activity such as the subsurface injection of fluid at a rate or pressure such that the rock is caused to move along a pre-existing fault plane.
<b>inductor bank</b>	A passive electrical component used to improve the quality of power delivery by sinking reactive power.
<b>information and communication technology network</b>	An integrated system of telecommunications, computer networks, and software that enable users to access, store, transmit, and manipulate information.
<b>Integrated Assessment Model</b>	Scientific modeling most often used for environmental analysis that integrates multiple academic disciplines.
<b>integrated gasification combined cycle</b>	A power generation plant that gasifies coal with the resulting synthetic gas used to fire a combined-cycle unit to produce electricity.
<b>interchange scheduling</b>	The scheduling of energy exchange between grid control areas.
<b>interferometer</b>	A measurement device that superimposes electromagnetic waves in order to extract information about the waves via their interference (constructive or destructive) with one another. Typically one of the waves interacts with an object that modifies the wave, thereby providing information about the properties of the interacting object.
<b>intermediate-load power plant</b>	A plant that is normally operated to follow load as it changes through the day.
<b>interval meter</b>	An electrical meter that records power consumption over periodic intervals.
<b>isotope</b>	A variant of an element differing in the number of neutrons (the atomic mass), but not the number of protons (the atomic number).
<b>kilowatt</b>	One thousand watts (also kW)
<b>kilowatt-hour</b>	A measure of electricity defined as a unit of work or energy, measured as one kilowatt (1,000 watts) of power expended for one hour. One kilowatt-hour (kWh) is equivalent to 3,412 British thermal units (also kWh).
<b>large-eddy simulation</b>	A mathematical model of turbulence used in computational fluid dynamics to simulate, for example, combustion, acoustics, and turbulence.
<b>lead-cooled fast reactor</b>	A next generation reactor that uses lead-bismuth eutectic as a coolant and relies on high energy "fast" neutrons.

<b>levelized cost of energy</b>	A metric of the total cost of energy (most often applied to electricity) production divided by the asset lifetime, and includes capital depreciation, fixed and variable operations and maintenance, fuel costs, and potentially other costs or credits (such as carbon offsets).
<b>life cycle</b>	All stages of a product's life, from raw materials extraction to manufacturing, use, and final disposal or recycling.
<b>life-cycle assessment</b>	A methodology that assesses the energy, materials and potentially other inputs, outputs, and impacts of a product or process. The assessment spans the entire useful life, from raw material extraction through end-of-life management (repurposing, recycling or disposal).
<b>light-emitting diodes</b>	A semiconductor that emits light when an electric current passes through it.
<b>light water reactors</b>	A nuclear reactor that uses water as the primary coolant and moderator, with slightly enriched uranium as fuel.
<b>light-duty vehicles</b>	Vehicles weighing less than 8,500 pounds (including automobiles, motorcycles, and light trucks).
<b>lignocellulosic biomass</b>	Plant dry matter (biomass) composed of carbohydrate polymers (cellulose, hemicellulose) tightly bound to an aromatic polymer (lignin).
<b>lipid</b>	An organic compound comprised of fatty acids that are insoluble in water.
<b>liquefied natural gas</b>	Methane that has been changed from gas phase to liquid phase as a result of a reduction of temperature or an increase in pressure or a combination of both.
<b>liquefied petroleum gas</b>	A group of hydrocarbon gases, primarily propane, normal butane, and isobutene, derived from crude oil refining or natural gas processing.
<b>low temperature combustion</b>	A term that covers a number of advanced combustion technologies that reduce nitrogen oxide and particulate emissions.
<b>lower heating value</b>	The value of the heat of combustion of a fuel that does not take into account the heat energy put into the vaporization of water (heat of vaporization).
<b>lumen</b>	An empirical measure of the quantity of light. It is based upon the spectral sensitivity of the photosensors in the human eye under high (daytime) light levels.
<b>magnetic resonance spectroscopy</b>	A measurement technique that exploits the quantized spin of an atomic nucleus (nuclear magnetic resonance spectroscopy) or electron (electron paramagnetic resonance spectroscopy) to interrogate the physical and chemical properties of a system.
<b>marine and hydrokinetic power</b>	Power generation using the energy of waves, tides, and river and ocean currents.
<b>mass spectrometry</b>	An analytical technique used to identify the amount and type of chemical species in a sample by measuring the mass-to-charge ratios.
<b>material criticality</b>	A designation of materials that are most important to the economy and are at risk of supply disruption.
<b>Materials Genome Initiative</b>	A multiagency initiative to improve the process for discovering, developing, and manufacturing advanced materials through advanced computational capabilities, data management, and integrated engineering, with a goal of developing advanced materials twice as fast and at a fraction of the cost of conventional approaches.
<b>megawatt-hour</b>	One thousand kilowatt-hours or one million watt-hours (also MWh)



<b>megawatt</b>	One million watts of electricity (also MW)
<b>mesoscale</b>	The length scale between the nanoscale and the macroscale (approximately 100 to 1,000 nanometers), where the properties of bulk objects, defined by classical mechanics, emerge from properties of the atomic and molecular components, defined by quantum mechanics.
<b>metabolic pathway</b>	A series of connected biochemical reactions occurring within a cell.
<b>metal organic framework</b>	Compounds consisting of metal atoms or clusters linked by organic molecules to form one-, two-, or three-dimensional structures that typically have very high internal surface area.
<b>methanol</b>	A light, volatile alcohol ( $\text{CH}_3\text{OH}$ ) that can be blended with gasoline or used directly as a motor fuel. It is used as a fuel for many motor racing events.
<b>metrology</b>	The science of measurement, embracing both experimental and theoretical determinations at any level of uncertainty in any field of science and technology.
<b>microbial dark matter</b>	The unseen majority of microbial life that is not currently amenable to laboratory cultivation and therefore direct study by observation.
<b>molten carbonate fuel cell</b>	A type of fuel cell that contains a molten carbonate electrolyte. Carbonate ions ( $\text{CO}_3^{2-}$ ) are transported from the cathode to the anode. Operating temperatures are typically near $650^\circ\text{C}$ .
<b>N-1 reliability criteria</b>	A bulk power system operating and planning criteria to ensure reliability in the event of a single contingency such as the loss of a large power plant or transmission line.
<b>nanoscale</b>	Structures having a length scale of approximately 1-100 nanometers. One nanometer is $10^{-9}$ meters.
<b>nanoscience</b>	The multidisciplinary study of structures and materials at the nanoscale.
<b>nanotechnology</b>	The manipulation of matter on an atomic, molecular, and supramolecular scale.
<b>natural gas hydrates</b>	Cage-like lattice of ice inside of which are trapped molecules of methane, the chief constituent of natural gas; also referred to as methane hydrates.
<b>nuclear fusion</b>	A reaction wherein two or more atoms collide and combine to create a new, heavier element. For elements lighter than iron, this process releases energy.
<b>ocean acidification</b>	The ongoing decrease in ocean pH levels due to the uptake of increased levels of carbon dioxide in the earth's atmosphere.
<b>ome</b>	In biology, the totality of objects within a given field of study, e.g. genome (the genetic material of an organism), proteome (the collection of proteins expressed by a genome), metabolome (the complete set of small molecule chemicals found within an organism), or transcriptome (the set of RNA molecules in an organism).
<b>omics</b>	An informal term referring to any field of biology ending in “-omics”, (e.g., genomics, proteomics, or metabolomics).
<b>options space analysis</b>	A method of comparing a set of technologies that contribute to a particular desired service in a specific sector (such as transportation) across a range of characteristics and trade-offs.

<b>organic aerosol</b>	A material comprised of a gaseous suspension of microscopic solid or liquid particles composed of organic matter. A secondary organic aerosol is particulate matter composed of compounds formed from the atmospheric transformation of organic species.
<b>particle accelerator</b>	A device capable of accelerating charged particles to high energies using electromagnetic fields.
<b>peak load</b>	The maximum electric load during a specified period of time for a given power system.
<b>peaking power plant</b>	A power plant, typically gas turbines, diesels, or pumped-storage hydroelectric, normally used during the peak-load periods.
<b>petaflop</b>	A trillion flop, or floating point operations per second, a measure of computer performance.
<b>phase angle</b>	The difference in timing between when the voltage peaks and when the current peaks for alternating current at a given point in the electric power system.
<b>phasor management unit</b>	A device which measures the voltage, current, and phase at a point on the electrical grid that uses a common time source for synchronization; also known as a synchrophasor.
<b>phosphor</b>	Generally, a substance that exhibits luminescence.
<b>phosphoric acid fuel cell</b>	A type of fuel cell in which the electrolyte consists of concentrated phosphoric acid ( $\text{H}_3\text{PO}_4$ ). Protons ( $\text{H}^+$ ) are transported from the anode to the cathode. The operating temperature range is generally 160°C–220°C.
<b>photoelectrochemical water splitting</b>	A process where hydrogen is produced from water using sunlight and specialized semiconductors called photoelectrochemical materials, which use light energy to directly dissociate water molecules into hydrogen and oxygen.
<b>photoelectrodes</b>	A semiconducting electrode in a photoelectrochemical cell that, when impinged by a photon, creates a negatively charged electron and a positively charged hole that are used at the surface of the cathode and anode, respectively, to perform chemical reduction and oxidation, respectively.
<b>photoionization</b>	Ionization of an atom or molecule produced as a result of interaction with electromagnetic radiation.
<b>photosynthesis</b>	The process by which plants and other organisms use light to convert water and carbon dioxide into chemical energy that fuels the activities of the organism and, most commonly, oxygen.
<b>photovoltaic</b>	An electronic device consisting of layers of semiconductor materials fabricated to form a junction (adjacent layers of materials with different electronic characteristics) and electrical contacts and being capable of converting incident light directly into electricity.
<b>photovoltaic effect</b>	The creation of a voltage or electric current in a material exposed to light.
<b>photovoltaics</b>	The method of converting solar energy into usable electrical energy using semiconducting materials that exhibit the photovoltaic effect.
<b>phylum</b>	In biology, a taxonomic rank, below kingdom and above class, wherein a group of organisms are defined as having a “certain degree” of morphological or developmental similarity, or a “certain degree” of evolutionary relatedness.





<b>piezoelectricity</b>	A property of certain solid materials to internally accumulate electrical charge when mechanically stressed.
<b>plasma</b>	An aggregate state of matter comprised of ionized atoms and their free electrons.
<b>plasma wakefield acceleration</b>	A method for accelerating charged particles to very high energy over relatively short distances by creating a charge wake in a plasma using high energy electrons or a laser pulse.
<b>platinum group metals</b>	A group of metals with similar physical and chemical properties to platinum. They are iridium, osmium, palladium, platinum, rhodium and ruthenium. Common uses in vehicles are for emissions control and fuel cell catalysis.
<b>plug-in electric vehicles</b>	A hybrid electric vehicle with batteries that can also be recharged by an external electricity source.
<b>plug-in hybrid electric vehicles</b>	A vehicle that combines a conventional internal combustion engine with an electric propulsion system with batteries that can also be recharged by an external electricity source.
<b>plug-loads</b>	The energy used by equipment using an electric outlet.
<b>point sources</b>	Any discernible, confined, and discrete source of pollutants.
<b>polarization</b>	A property of electromagnetic radiation that describes the constrained set of orientations of the electric or magnetic field vector. Examples include linear and elliptical. Polarization results from the fact that light behaves as a two-dimensional transverse wave.
<b>polygeneration</b>	A process with three or more energy outputs such as electricity, fuel, and heat.
<b>polymer electrolyte membrane fuel cell</b>	A type of acid-based fuel cell in which the transport of protons (H+) from the anode to the cathode is through a solid, aqueous membrane impregnated with an appropriate acid. The electrolyte is called a polymer electrolyte membrane. The fuel cells typically run at low temperatures (<100°C).
<b>portfolio analysis</b>	A time-dependent system of relationships among competing and complementary energy technologies, the larger energy system, the economy, land use, water, atmospheric composition, and climate.
<b>power use effectiveness</b>	A measure of efficiency for computer data centers. It is calculated as the total facility power consumption divided by the power consumed by the computer equipment.
<b>pre-mixed charge compression ignition</b>	A technique where the fuel, air, and some exhaust gas are mixed before compression and ignition.
<b>primary energy</b>	Energy in the form that it is first accounted for in a statistical energy balance, before any transformation to secondary or tertiary forms of energy.
<b>process intensification</b>	Any technique or apparatus, especially in the chemicals sector, that reduces equipment size and complexity, energy consumption, and/or the environmental impacts of manufacturing processes.
<b>prosumer</b>	A consumer of electric power that can also produce it.
<b>pumped hydro storage</b>	A technology that uses electricity to pump water into an elevated reservoir to store energy and runs the water through a hydroelectric turbine to release energy.
<b>pyrolysis</b>	The decomposition of biomass at high temperatures in the absence of oxygen. It can be used to generate syngas or pyrolysis oils, etc.

<b>quads</b>	Quadrillion British thermal units
<b>radial lines</b>	A classification of the way a conventional electricity distribution system is typically connected to deliver electricity.
<b>radiative transfer</b>	The physical phenomenon of energy transfer via absorption, emission, and scattering as electromagnetic radiation travels through a medium.
<b>radical</b>	A typically highly reactive chemical species (atom, molecule, ion) having an unpaired valence electron.
<b>ramp rates</b>	The rate that a source of electric power can change its output.
<b>rare earth material</b>	A class of seventeen elements in the periodic table, specifically the fifteen lanthanides (lanthanum through lutetium) plus scandium and yttrium.
<b>reactivity controlled compression ignition</b>	A variant of homogeneous charge compression ignition where a higher reactivity fuel is combined with a premixed mixture of a lower reactive fuel, air and exhaust gases.
<b>reflectometry</b>	A non-destructive experimental technique used to probe the properties of a medium by measuring the energy reflected when the wave encounters a material interface different from the initial medium.
<b>reliability (electric grid)</b>	A measure of power system performance; the ability to continue meeting electricity demands.
<b>reserve requirements</b>	The amount of excess available capability of an electric power system over the projected peak load for a utility system that act as a back up in case of an unexpected outage of an operating generation unit.
<b>residual oil zone</b>	Areas of immobile crude oil below the oil-water contact zone.
<b>resilience</b>	The ability of the electric power system to withstand minor disturbances, mitigate the impact of major disturbances, and recover to normal operations after disturbances.
<b>roll-to-roll processing</b>	A class of substrate-based manufacturing processes in which additive and subtractive processes are used to build structures in a continuous manner. Typical roll-to-roll operations include casting, extrusion, coating, and printing of two-dimensional processes.
<b>round-trip efficiencies</b>	The percentage of energy that can be retrieved after it has been stored.
<b>R-Value</b>	A measure of a material's resistance to heat flow in units of Fahrenheit degrees x hours x square feet per Btu. The higher the R-value of a material, the greater its insulating capability.
<b>scintillation</b>	The emission of light from a material upon absorption of radiation, for example a photon, electron, ion, or neutron.
<b>semiconductor</b>	An elemental or compound material having electrical conductivity between that of a conductor and an insulator.
<b>small angle neutron scattering</b>	An experimental technique wherein incident neutrons are elastically scattered (i.e., the energy of the incident and scattered electrons are the same) at small ( $0.1-10^\circ$ ). angles from the sample, enabling structural analysis at mesoscopic length scales (1-100 nanometers).
<b>small modular reactors</b>	Nuclear power plants that smaller in size than conventional nuclear power plants. Typically, they are 300 MWe or less in capacity.



<b>smart grid technologies</b>	A category of technologies that improve the monitoring, analysis, and control of the grid, leveraging advances in information and communication technologies.
<b>sodium-cooled fast reactor</b>	A next generation reactor that uses liquid metallic sodium as a coolant and relies on high-energy "fast" neutrons.
<b>solar thermochemical hydrogen</b>	A thermochemical process for extracting hydrogen from water using concentrated sunlight as the heat source.
<b>solid oxide fuel cell</b>	A type of fuel cell in which the electrolyte is a solid, nonporous metal oxide with temperatures of operation typically 800°C-1000°C.
<b>solid-state distribution transformer</b>	A technology that combines high-powered semiconductor devices with the function of a conventional distribution transformer to provide new capabilities.
<b>solid-state lighting</b>	Refers to lighting using light-emitting diodes, which are semiconductors that emit light when an electric current passes through them.
<b>spallation</b>	A process by which neutrons and other particles are ejected from a heavy metal target due to impacts from a high-energy particle beam.
<b>spectral lines</b>	The discrete energies in an otherwise continuous spectrum that are absorbed or emitted by an atom or molecule and that are characteristic of that atom or molecule.
<b>state variable</b>	One of a set of variables used to describe the mathematical state of a dynamical system.
<b>state-of-charge window</b>	An indicator of the remaining charge in the batteries for hybrid electric vehicles, plug-in hybrid electric vehicles, and electric vehicles.
<b>steam methane reforming</b>	A method for producing hydrogen, carbon monoxide, or other useful products by reacting high-temperature steam with natural gas.
<b>stochastic optimization</b>	The minimization (or maximization) of a function in the presence of randomness in the optimization process.
<b>storage ring</b>	A circular particle accelerator capable of storing a continuous or pulsed particle beam (typically protons, electrons, or positrons) for long periods of time. Typically used to store electrons that produce synchrotron radiation for an X-ray light source or in a particle collider where two counter rotating stored particle beams are collided at discrete locations.
<b>superconducting magnetic energy storage</b>	A device that stores electric energy in a magnetic field generated from a direct current circulating in a superconducting coil.
<b>superconducting radiofrequency</b>	The science and technology of applying electrical superconductors to radiofrequency technology. When used to build an RF cavity, the negligible electrical resistance of the superconducting material leads to cavities capable of storing energy with almost no loss and very narrow bandwidth.
<b>superconductor</b>	A material that exhibits no electrical resistance below a characteristic temperature.
<b>supercritical fluid</b>	A substance at a temperature and pressure above its critical point, where distinct liquid and gas phases do not exist.
<b>supervisory control and data acquisition systems</b>	A technology used to monitor and control equipment and systems remotely.

<b>sustainability analysis</b>	A methodology that looks at the environmental, life-cycle, climate, and other impacts of different technologies.
<b>sustainable manufacturing</b>	The creation of manufactured products through economically-sound processes that minimize environmental impacts while conserving energy and natural resources.
<b>synchronous generator</b>	A classification of electric power generators that converts mechanical energy into alternating current where the frequency of the output is synchronized with the speed of the rotor.
<b>synchrotron radiation</b>	Electromagnetic radiation produced as a result of very high speed (relativistic) charged particles being accelerated in a curved path.
<b>synthetic biology</b>	An interdisciplinary branch of biology that is focused on the design and construction of new biological parts, devices, and systems, and the modification of existing, natural biological systems for useful purposes.
<b>system congestion</b>	A condition that occurs when there is insufficient available transfer capacity on an electric grid to implement all of the preferred schedules for electricity transmission simultaneously.
<b>Système International</b>	The International System of Units (Système International d'Unités), the modern form of the metric system, comprises a coherent system of units of measurement built on seven base units, used to define twenty-two named units and derive many more unnamed units.
<b>systems biology</b>	The study of the complex interactions between biological components, for example molecules, cells, organisms, or species.
<b>Technology Readiness Levels</b>	A method of estimating technology maturity and uses a scale from 1 (basic science) to 9 (mature technology).
<b>technology roadmapping</b>	A methodology to provide information to inform technology decision-making by identifying technologies and gaps, tracking performance of technologies, and identifying opportunities to leverage RDD&D investments.
<b>terawatt-hour</b>	One trillion watt-hours (also TWh)
<b>tesla</b>	The Système International (SI) derived unit of magnetic flux density.
<b>thermal energy storage system</b>	A technology where thermal energy is stored in a medium such as molten salt, that can be later used to power a turbine to produce electricity, or in ice, that can be later used to offset air conditioning needs.
<b>thermochemical</b>	The chemistry of heat and heat-assisted chemical reactions.
<b>thermodynamic limit</b>	The upper limit on conversion efficiency for turning heat energy into useful work.
<b>thermoelectric generators</b>	Devices that can convert heat differentials in a material directly into electricity through the Seebeck effect.
<b>tight oil (gas)</b>	Oil (natural gas) produced from petroleum-bearing formations with low permeability such as the Eagle Ford, the Bakken, Haynesville, and other formations that must be hydraulically fractured to produce oil (natural gas) at commercial rates. Shale oil (natural gas) is a subset of tight oil (natural gas).
<b>Tokamak</b>	A device capable of confining a plasma using magnetic fields in the shape of a torus. It is a type of magnetic confinement device being explored for harnessing thermonuclear fusion as a power source.
<b>tomography</b>	The process of imaging a 3D object by sections using a penetrating wave.



<b>transactive energy</b>	An advanced control and coordination concept to manage the generation, consumption, or flow of electric power within an electric power system through the use of economic or market-based constructs while considering grid reliability constraints and other objectives.
<b>transformer</b>	A component of the electric power system used to change the voltage of alternating current.
<b>transmission</b>	The high voltage portion of the electricity delivery system used to connect electric suppliers to demand centers across large geographic regions.
<b>transmission electron microscopy</b>	An imaging technique in which a beam of electrons passes through and interacts with an ultra-thin sample, providing atomic-scale resolution of the material structure.
<b>transporter protein</b>	A protein in an organism that functions to move material from one place to another.
<b>transuranic element</b>	An element having an atomic numbers greater than that of uranium (92). Such elements are also sometimes referred to as super-heavy elements.
<b>tribology</b>	The science and technology of interacting surfaces, usually considering the friction and wear between them, and the processes of lubrication.
<b>tritium</b>	A rare, radioactive isotope of hydrogen having one proton and two neutrons in its atomic nucleus.
<b>troposphere</b>	The lowest layer of the earth's atmosphere.
<b>unconventional oil and gas</b>	An umbrella term that refers to resources such as shale gas, shale oil, tight gas, and tight oil that cannot be produced economically through standard drilling and completion practices.
<b>unit commitment</b>	An optimization problem used to determine the operation schedule of individual generators to meet varying loads under different constraints and environments.
<b>variable frequency drive</b>	An adjustable speed motor system that uses changes in electric frequency and voltage to manage motor speed and torque based on application demand.
<b>variable generators</b>	An electric power generation unit whose output changes with time due to factors outside the direct control of the operator, such as wind or solar energy.
<b>vehicle-to-building</b>	A system that allows the electricity stored in a plug-in hybrid electric vehicle, hybrid electric vehicle, or fuel cell electric vehicle (with hydrogen as electricity precursor) to be utilized by a building during periods of high demand or power outage.
<b>vehicle-to-grid</b>	A system that allows the electricity stored in a plug-in hybrid electric vehicle, hybrid electric vehicle, or fuel cell electric vehicle (with hydrogen as electricity precursor) to be utilized by the power grid during periods of high demand.
<b>volt/VAR optimization</b>	An advanced grid application that optimizes voltage profiles and reactive power flows in distribution systems to achieve a variety of objectives.
<b>voltage collapse</b>	An undesirable condition of the electric power system where there is a loss in stability and a blackout occurs when system voltages decrease catastrophically.
<b>waste heat recovery</b>	The capture and useful application of energy that would otherwise be rejected to the environment as waste heat.

<b>watt</b>	The Système International (SI) unit of power, defined as one joule per second.
<b>wedge analysis</b>	A framework for comparing different climate change mitigation activities on the basis of their greenhouse gas reduction potential represented as “wedges.”
<b>wide bandgap semiconductors</b>	A semiconductor that has a bandgap of typically three electron volts or more, compared to silicon with a bandgap of 1.1 electron volts. This larger bandgap enables a semiconductor device using this material to operate at much higher voltages, frequencies, and temperatures than silicon-based devices, allowing more powerful electronic devices to be built.
<b>wind turbine</b>	Wind energy conversion device that produces electricity; typically three blades rotating about a horizontal axis and positioned up-wind of the supporting tower.

\* The definitions provided in this glossary are specifically for the context in which these terms are used within the Quadrennial Technology Review 2015. In other contexts, these terms may be used differently. A variety of sources were referenced in the development of this glossary, including: “Glossary.” U.S. Energy Information Administration, 2015, <http://www.eia.gov/tools/glossary/>; “Glossary of Energy-Related Terms.” U.S. Department of Energy Office of Energy Efficiency and Renewable Energy, 2015, <http://energy.gov/eere/energybasics/articles/glossary-energy-related-terms>; and many other public sources.



## Acronyms

<b>\$/km</b>	dollars per kilometer	<b>ASCPMM</b>	advanced sensors, controls, platforms and modeling for manufacturing
<b>\$/kWh</b>	dollars per kilowatt-hour	<b>ASAI</b>	average service availability index
<b>\$/MJ</b>	dollars per megajoule	<b>ASTA</b>	Advanced Superconducting Test Accelerator
<b>\$/MMBtu</b>	dollars per million British thermal units	<b>ASTM</b>	American Society for Testing and Materials
<b>3D</b>	3-dimensional	<b>ATF</b>	Accelerator Test Facility
<b>AC</b>	alternating current	<b>ATLAS</b>	Argonne Tandem Linac Accelerator System
<b>ACCEL</b>	Accelerating Competitiveness through Computational Excellence Program	<b>AUSC</b>	advanced ultra-super critical
<b>ACTT</b>	Advanced Computing Tech Team	<b>AV</b>	automated vehicle
<b>AM</b>	additive manufacturing	<b>AWAF</b>	Argonne Wakefield Accelerator Facility
<b>AEO</b>	Annual Energy Outlook (of the EIA)	<b>BAU</b>	business-as-usual
<b>AEP</b>	annual energy production	<b>BECCS</b>	bioenergy with carbon capture and storage
<b>AER</b>	all-electric range	<b>BELLA</b>	Berkeley Lab Laser Accelerator Center
<b>AERI</b>	atmospheric emitted radiance interferometers	<b>BES</b>	U.S. DOE Office of Basic Energy Sciences
<b>AHT</b>	absorption heat transformer	<b>BESAC</b>	Basic Energy Sciences Advisory Committee
<b>Al</b>	aluminum	<b>BESC</b>	BioEnergy Science Center
<b>ALCC</b>	ASCR Leadership Computing Challenge	<b>BGCCS</b>	biomass gasification with carbon capture and sequestration
<b>ALCF</b>	Argonne Leadership Computing Facility	<b>BIPV</b>	building integrated photovoltaics
<b>ALD</b>	atomic layer deposition	<b>BLIP</b>	Brookhaven Linac Isotope Producer
<b>ALS</b>	Advanced Light Source	<b>BNL</b>	Brookhaven National Laboratory
<b>AMI</b>	advanced metering technology	<b>BOEM</b>	Bureau of Ocean Energy Management
<b>AMP</b>	Advanced Manufacturing Partnership	<b>BOP</b>	blowout preventer
<b>ANL</b>	Argonne National Laboratory	<b>BP</b>	British Petroleum
<b>API</b>	American Petroleum Institute	<b>BRCs</b>	Bioenergy Research Centers
<b>APS</b>	Advanced Photon Source	<b>BTO</b>	U.S. Department of Energy Building Technologies Office
<b>APU</b>	auxiliary power unit	<b>BTRIC</b>	Buildings Technology Research and Integration Center
<b>ARM</b>	Atmospheric Radiation Measurement Climate Research Facility	<b>BTS</b>	Billion-Ton Study
<b>ARPA-E</b>	Advanced Research Projects Agency-Energy	<b>Btu</b>	British thermal unit
<b>ARRA</b>	American Reinvestment and Recovery Act		
<b>ASCAC</b>	Advanced Scientific Computing Advisory Committee		





<b>CAES</b>	compressed air energy storage	<b>CO<sub>2</sub>-eq</b>	CO <sub>2</sub> -equivalent global warming potential
<b>CAFÉ</b>	corporate average fuel economy	<b>COE</b>	cost of energy
<b>CAIDI</b>	customer average interruption duration index	<b>COP</b>	crude oil price
<b>CASL</b>	Consortium for the Advanced Simulation of Light Water Reactors	<b>COPV</b>	composite overwrapped pressure vessel
<b>CAVs</b>	connected and automated vehicles	<b>CORAL</b>	Collaboration of Oak Ridge, Argonne, and Livermore
<b>CBO</b>	Congressional Budget Office	<b>CRADA</b>	Collaborative Research and Development Agreement
<b>CBTL</b>	coal and biomass to liquids	<b>CRF</b>	Combustion Research Facility
<b>CBTLE</b>	coal and biomass to liquids and electricity	<b>CSD</b>	compression, storage and dispensing
<b>CBTLE-CCS</b>	coal and biomass to liquids and electricity with carbon capture and sequestration	<b>CSP</b>	concentrating solar thermal power
<b>CC</b>	combined cycle	<b>CSPAD</b>	Cornell-SLAC hybrid Pixel Array Detector
<b>CCE</b>	cost of conserved energy	<b>CT</b>	combustion turbine
<b>CCGT</b>	combined cycle gas turbine	<b>CTL</b>	coal to liquids
<b>CCN</b>	cloud condensation nuclei	<b>CVD</b>	chemical vapor deposition
<b>CCS</b>	carbon capture and storage	<b>CVR</b>	conservation voltage reduction
<b>CCWG</b>	Climate Change Working Group	<b>CXI</b>	Coherent X-ray Imaging
<b>CDF</b>	core damage frequency	<b>D&amp;D</b>	demonstration and deployment
<b>CEBAF</b>	Continuous Electron Beam Accelerator Facility	<b>DARPA</b>	Defense Advanced Research Agency
<b>CERN</b>	European Organization for Nuclear Research	<b>DC</b>	direct current
<b>CESAR</b>	Center for Exascale Simulation of Advanced Reactors	<b>DCV</b>	demand-controlled ventilation
<b>CFD</b>	computational fluid dynamics	<b>DEC</b>	direct energy conversion
<b>CFL</b>	compact florescent light	<b>DG</b>	distributed generation
<b>CFN</b>	Center for Functional Nanomaterials	<b>DHS</b>	U.S. Department of Homeland Security
<b>CFRP</b>	carbon fiber reinforced polymer	<b>DIII-D</b>	DIII-D Tokamak
<b>CH<sub>2</sub></b>	compressed hydrogen storage	<b>DLP</b>	digital light processing
<b>CH<sub>4</sub></b>	methane	<b>DMDII</b>	Digital Manufacturing and Design Innovation Institute
<b>CHHP</b>	combined heat, hydrogen and power	<b>DME</b>	dimethyl ether
<b>CHP</b>	combined heat and power	<b>DMLS</b>	direct metal laser sintering
<b>CI</b>	compression ignition	<b>DMS</b>	distribution management systems
<b>CIGS</b>	Copper-Indium-Gallium-Selenide	<b>DMT</b>	dry metric ton/tonne
<b>CINT</b>	Center for Integrated Nanotechnologies	<b>DMZs</b>	demilitarized zones
<b>CLIC</b>	Compact Linear Collider	<b>DNA</b>	deoxyribonucleic acid
<b>CMI</b>	Critical Materials Institute	<b>DOE</b>	U.S. Department of Energy
<b>CNM</b>	Center for Nanophase Materials Sciences	<b>DOE-EERE</b>	U.S. Department of Energy's Office of Energy Efficiency and Renewable Energy
<b>CO</b>	carbon monoxide	<b>DOE-FE</b>	U.S. Department of Energy's Office of Fossil Energy
<b>CO<sub>2</sub></b>	carbon dioxide	<b>DOE-IE</b>	U.S. Department of Energy's Office of Indian Energy Policy and Programs
<b>CO<sub>2</sub>-EOR</b>	CO <sub>2</sub> Enhanced Oil Recovery		

<b>DOE-NE</b>	U.S. Department of Energy's Office of Nuclear Energy	<b>FACET</b>	Facility for Advanced Accelerator Experimental Tests
<b>DOE-OE</b>	U.S. Department of Energy's Office of Electricity Delivery and Energy Reliability	<b>FACTS</b>	flexible alternating current transmission systems
<b>DOE-SC</b>	U.S. Department of Energy's Office of Science	<b>FASTMath</b>	Frameworks, Algorithms, and Scalable Technologies for Mathematics
<b>DR</b>	demand response	<b>FC</b>	fuel cell
<b>DSM</b>	demand-side management	<b>FCEV</b>	fuel cell electric vehicle
<b>E10</b>	a blend of 10% ethanol and 90% gasoline by volume	<b>FCL</b>	fault current limiter
<b>E85</b>	a blend of 85% ethanol and 15% gasoline by volume	<b>FCV</b>	fuel cell vehicle
<b>EBM</b>	electron beam melting	<b>FDM</b>	fused deposition modeling
<b>EDT</b>	electric drive technologies	<b>FERC</b>	Federal Energy Regulatory Commission
<b>EERE</b>	U.S. Department of Energy's Office of Energy Efficiency and Renewable Energy	<b>FLISR</b>	fault location isolation and service restoration
<b>EFRC</b>	Energy Frontier Research Centers	<b>flops</b>	floating point operations per second
<b>EGS</b>	enhanced geothermal systems	<b>FNAL</b>	Fermi National Accelerator Laboratory
<b>EI</b>	energy intensity	<b>FORGE</b>	Frontier Observatory for Research in Geothermal Energy
<b>EIA</b>	U.S. Energy Information Agency	<b>FRP</b>	fiber-reinforced polymer
<b>ELM</b>	edge-localized mode	<b>F-T</b>	Fischer-Tropsch
<b>EMF</b>	electromagnetic fields	<b>FY</b>	fiscal year
<b>EMIS</b>	electromagnetic isotope separator	<b>g/kWh</b>	grams per kilowatt-hour
<b>EMP</b>	electromagnetic pulse	<b>gal/MWh</b>	gallons per megawatt-hour
<b>EMS</b>	energy management system	<b>GaN</b>	gallium nitride
<b>EMSL</b>	Environmental Molecular Sciences Laboratory	<b>Gbps</b>	gigabits per second
<b>EOR</b>	enhanced oil recovery	<b>GCAM</b>	Global Change Assessment Model
<b>EPA</b>	U.S. Environmental Protection Agency	<b>GDP</b>	gross domestic product
<b>EPRI</b>	Electric Power Research Institute	<b>GE</b>	General Electric
<b>ERCOT</b>	Electric Reliability Council of Texas	<b>GeV</b>	gigaelectron volt
<b>EROI</b>	energy return on investment	<b>GFR</b>	gas-cooled fast reactor
<b>ESBWR</b>	Economic Simplified Boiling Water Reactor	<b>gge</b>	gallon of gasoline equivalent
<b>ESIF</b>	Energy Systems Integration Facility	<b>GHG</b>	greenhouse gas
<b>ESM</b>	Earth System Model	<b>GLBRC</b>	Great Lakes Bioenergy Research Center
<b>ESNet</b>	Energy Sciences Network	<b>GMD</b>	geomagnetic disturbance
<b>EUE</b>	expected unserved energy	<b>GPS</b>	global positioning system
<b>eV</b>	electron volt	<b>GSA</b>	U.S. General Services Administration
<b>EV</b>	electric vehicle	<b>GT</b>	gas turbine
<b>EVSE</b>	electric vehicle supply equipment	<b>Gt</b>	gigaton
<b>EWR</b>	enhanced water recovery	<b>GtC</b>	gigaton of carbon
<b>ExaCT</b>	Center for Exascale Simulation of Combustion in Turbulence	<b>GtCO<sub>2</sub></b>	gigaton of carbon dioxide
<b>ExMatEx</b>	Co-design Center for Materials in Extreme Environments	<b>GW</b>	gigawatt
		<b>GWh</b>	gigawatt-hour



<b>GWP</b>	global warming potential	<b>ISO</b>	independent system operator
<b>HC</b>	hydrocarbon	<b>ISO</b>	International Organization for Standardization
<b>HCCI</b>	homogeneous charge compression ignition	<b>IT</b>	information technology
<b>HDV</b>	heavy-duty vehicles	<b>ITER</b>	International Thermonuclear Experimental Reactor
<b>He-3</b>	helium-3	<b>JBEI</b>	Joint Bioenergy Institute
<b>HES</b>	hydrogen energy storage	<b>JCAP</b>	Joint Center for Artificial Photosynthesis
<b>HEV</b>	hybrid electric vehicles	<b>JCESR</b>	Joint Center for Energy Storage Research
<b>HFC</b>	hydrofluorocarbon	<b>JGI</b>	Joint Genome Institute
<b>HFIR</b>	High Flux Isotope Reactor	<b>kBtu</b>	thousand British thermal units
<b>HHV</b>	higher heating value	<b>kBtu/hr</b>	thousand British thermal units per hour
<b>HILF</b>	high-impact, low-frequency	<b>kBtu/sq. ft.</b>	thousand British thermal units per square foot
<b>HPC</b>	high-performance computing	<b>kg</b>	kilogram
<b>HPCEE</b>	High Performance Computer for Energy and the Environment	<b>klm</b>	kilolumen
<b>HPCIC</b>	HPC Innovation Center	<b>kms</b>	kilometers
<b>HT</b>	high temperature	<b>KMWh</b>	thousand megawatt hours
<b>HTS</b>	high-temperature superconductors	<b>kV</b>	kilovolt
<b>HVAC</b>	heating, ventilation, and air conditioning	<b>kW</b>	kilowatt
<b>HVAC</b>	high voltage alternating current	<b>kWh</b>	kilowatt-hour
<b>HVDC</b>	high-voltage direct current	<b>LANL</b>	Los Alamos National Laboratories
<b>IACMI</b>	Institute for Advanced Composites Manufacturing Innovation	<b>LAP</b>	laser-plasma accelerator
<b>IAM</b>	integrated assessment model	<b>LBNL</b>	Lawrence Berkeley National Laboratory
<b>ICE</b>	internal combustion engine	<b>LCA</b>	life-cycle assessment
<b>ICEV</b>	internal combustion engine vehicle	<b>LCI</b>	life-cycle inventory
<b>ICT</b>	information and communications technologies	<b>LCIA</b>	life-cycle impact assessment
<b>IDPRA</b>	Isotope Development and Production for Research and Applications subprogram	<b>LCLS</b>	Linac Coherent Light Source
<b>IEA</b>	International Energy Agency	<b>LCLS-II</b>	Linac Coherent Light Source-II
<b>IEEE</b>	Institute of Electrical and Electronics Engineers	<b>LCOD</b>	levelized cost of driving
<b>IGCC</b>	integrated gasification combined cycle	<b>LCOE</b>	levelized cost of electricity
<b>IGSM</b>	Integrated Global Systems Model	<b>LDV</b>	light-duty vehicles
<b>ILC</b>	International Linear Collider	<b>LED</b>	light-emitting diode
<b>ILL</b>	Institut Laue-Langevin	<b>LFR</b>	lead-cooled fast reactor
<b>INCITE</b>	Innovative and Novel Computational Impact on Theory and Experiment	<b>LHC</b>	Large Hadron Collider
<b>INL</b>	Idaho National Laboratory	<b>LHV</b>	lower heating value
<b>IOR</b>	improved oil recovery	<b>Li/LMRNMC</b>	lithium metal batteries with lithium- and manganese-rich high-energy cathode
<b>IPCC</b>	Intergovernmental Panel on Climate Change	<b>LIFT</b>	Lightweight Innovations for Tomorrow Consortium
<b>IPF</b>	Isotope Production Facility	<b>Li-ion</b>	lithium-ion
		<b>LLNL</b>	Lawrence Livermore National Laboratory
		<b>lm/W</b>	lumens per watt

<b>LMD</b>	laser metal deposition	<b>NEA</b>	Nuclear Energy Agency of the OECD
<b>LMRNMC</b>	lithium- and manganese-rich high-energy cathode	<b>NERC</b>	North American Electric Reliability Corporation
<b>LNG</b>	liquefied natural gas	<b>NERSC</b>	National Energy Research Scientific Computing Center
<b>LOLP</b>	loss of load probability	<b>NETL</b>	National Energy Technology Laboratory
<b>LOM</b>	laminated object manufacturing	<b>NiMH</b>	nickel-metal hydride
<b>LPA</b>	laser-plasma accelerator	<b>NIR</b>	near-infrared
<b>LPG</b>	liquefied petroleum gas	<b>NIST</b>	National Institute of Standards and Technology
<b>LPTs</b>	large power transformers	<b>NNI</b>	National Nanotechnology Initiative
<b>LTC</b>	low-temperature combustion	<b>NNSA</b>	U.S. National Nuclear Security Administration
<b>LUEI</b>	land use energy intensity	<b>NOx</b>	nitrogen oxides
<b>LWR</b>	light water reactors	<b>NPC</b>	National Petroleum Council
<b>M&amp;V</b>	measurement and verification	<b>NRC</b>	U.S. Nuclear Regulatory Commission
<b>MCFC</b>	molten carbonate fuel cell	<b>NREL</b>	National Renewable Energy Laboratory
<b>MDF</b>	Materials Demonstration Facility	<b>NSF</b>	National Science Foundation
<b>MDF</b>	Manufacturing Demonstration Facility	<b>NSLS-II</b>	National Synchrotron Light Source-II
<b>MDV</b>	medium-duty vehicles	<b>NSRCs</b>	Nanoscale Science Research Centers
<b>MEA</b>	membrane electrode loading	<b>NSTX-U</b>	National Spherical Torus Experiment
<b>MEL</b>	miscellaneous electric loads	<b>NSUF</b>	Nuclear Scientific User Facilities
<b>MESP</b>	minimum ethanol selling price	<b>NTRC</b>	National Transportation Research Center
<b>Mg</b>	magnesium	<b>O&amp;M</b>	operations and maintenance
<b>MGI</b>	Materials Genome Initiative for Global Competitiveness	<b>OE</b>	U.S. Department of Energy, Office of Electricity Delivery and Energy Reliability
<b>MHK</b>	marine and hydrokinetic	<b>OECD</b>	Organisation for Economic Cooperation and Development
<b>MIT</b>	Massachusetts Institute of Technology	<b>OG&amp;E</b>	Oklahoma Gas & Electric
<b>MITEI</b>	Massachusetts Institute of Technology Energy Initiative	<b>OLCF</b>	Oak Ridge Leadership Computing Facility
<b>MJM</b>	multi-jet modeling	<b>OLED</b>	organic light-emitting diode
<b>MMT</b>	million metric ton/tonne	<b>ORNL</b>	Oak Ridge National Laboratory
<b>MOF</b>	metal organic framework	<b>OT</b>	operational technology
<b>MON</b>	motor octane number	<b>PAFC</b>	phosphoric acid fuel cell
<b>MOSFET</b>	metal-oxide-semiconductor field-effect transistor	<b>PBIH</b>	powder bed and inkjet head
<b>MOSIS</b>	Silicon Metal Oxide Semiconductor Implementation System	<b>PC</b>	pulverized coal
<b>MRI</b>	magnetic resonance imaging	<b>PCCI</b>	pre-mixed charge compression ignition
<b>MT</b>	metric ton/tonne	<b>PCT</b>	programmable communicating thermostat
<b>MV</b>	medium voltage		
<b>MW</b>	megawatt		
<b>MWe</b>	megawatt electric		
<b>MWh</b>	megawatt-hour		
<b>NAS</b>	National Academy of Sciences		
<b>NaS</b>	sodium sulfur		
<b>NASA</b>	National Aeronautics and Space Administration		
<b>NCNR</b>	NIST Center for Neutron Research		



<b>PEC</b>	photoelectrochemical	<b>RDD&amp;D</b>	research, development, demonstration, and deployment
<b>PEMFC</b>	polymer electrolyte membrane fuel cell	<b>REACT</b>	Rare Earth Alternatives in Critical Technologies for Energy
<b>PEV</b>	plug-in electric vehicle	<b>RESU</b>	residential energy storage unit
<b>pflops</b>	petaflops	<b>RF</b>	radiofrequency
<b>PFSA</b>	perfluorosulfonic acid	<b>RHIC</b>	Relativistic Heavy Ion Collider
<b>PFTE</b>	polytetrafluoroethylene	<b>RIAM</b>	regional integrated assessment model
<b>PGM</b>	platinum group metals	<b>RICE</b>	reciprocating internal combustion engine
<b>PHEV</b>	plug-in hybrid electric vehicle	<b>RNA</b>	ribonucleic acid
<b>PHS</b>	pumped hydro storage	<b>ROI</b>	return on investment
<b>PI</b>	process intensification	<b>RON</b>	research octane number
<b>PJM</b>	Pennsylvania, New Jersey and Maryland Regional Transmission Operator	<b>ROZ</b>	residual oil zones
<b>PM</b>	particulate matter	<b>Ru</b>	ruthenium
<b>PM<sub>10</sub></b>	particulate matter less than 10 micrometers in diameter	<b>SAIDI</b>	system average interruption duration index
<b>PM<sub>2.5</sub></b>	particulate matter less than 2.5 micrometers in diameter	<b>SAIFI</b>	system average interruption frequency index
<b>PMU</b>	phasor measurement units	<b>SANS</b>	small angle neutron scattering
<b>PNNL</b>	Pacific Northwest National Laboratory	<b>SC</b>	U.S. DOE Office of Science
<b>Poly/Comp</b>	polymer composites	<b>SCADA</b>	supervisory control and data acquisition
<b>POTW</b>	publicly owned treatment work	<b>SC-ASCR</b>	U.S. DOE Office of Advanced Scientific Computing
<b>PP</b>	plaster-based 3D printing	<b>SC-BER</b>	U.S. DOE Biological and Environmental Research Program
<b>PPPL</b>	Princeton Plasma Physics Laboratory	<b>SC-BES</b>	U.S. DOE Office of Basic Energy Science
<b>PQ</b>	power quality	<b>SCC</b>	social cost of carbon
<b>PUE</b>	power use effectiveness	<b>SC-FES</b>	U.S. DOE Office of Fusion Energy Science
<b>PV</b>	photovoltaic	<b>SC-HEP</b>	U.S. DOE Office of High Energy Physics
<b>PWR</b>	pressurized water reactor	<b>SciDAC</b>	Scientific Discovery through Advanced Computing
<b>QCD</b>	quantum chromodynamics	<b>SC-NP</b>	U.S. DOE Office of Nuclear Physics
<b>QER</b>	Quadrennial Energy Review	<b>sCO<sub>2</sub></b>	supercritical carbon dioxide
<b>QOOH</b>	hydroperoxyalkyl	<b>SDAV</b>	scalable data management, analysis and visualization
<b>QTR</b>	Quadrennial Technology Review	<b>SEP</b>	Superior Energy Performance Program
<b>quad</b>	quadrillion British thermal units	<b>SFR</b>	sodium-cooled fast reactor
<b>QUEST</b>	Quantification of Uncertainty in Extreme Scale Computations	<b>SGIG</b>	Smart Grid Investment Grant Program
<b>R&amp;D</b>	research and development	<b>SHS</b>	selective heat sintering
<b>R2R</b>	roll-to-roll	<b>Si</b>	silicon
<b>RAP</b>	resilience analysis process	<b>SI</b>	spark ignition
<b>RC</b>	Rankine cycle engine		
<b>RCCI</b>	reactivity controlled compression ignition		
<b>RCSP</b>	Regional Carbon Sequestration Partnerships		
<b>RD&amp;D</b>	research, development, and demonstration		

<b>Si/LMRNMC</b>	lithium- and manganese-rich high-energy cathode with silicon alloy anodes	<b>TWh/year</b>	terawatt-hours per year
<b>SiC</b>	silicon carbide	<b>UC</b>	unit of capacity
<b>SIEGate</b>	Secure Information Exchange Gateway	<b>UCC</b>	ultra-conductive copper
<b>SLA</b>	stereolithography	<b>UCPTE</b>	Union for the Coordination of Production and Transmission of Electricity
<b>SLAC</b>	SLAC National Accelerator Laboratory	<b>UE</b>	unit of energy
<b>SLS</b>	selective laser sintering	<b>UNF</b>	used nuclear fuel
<b>SMES</b>	superconducting magnetic energy storage	<b>UNFCCC</b>	United Nations Framework Convention on Climate Change
<b>SMR</b>	small modular reactors	<b>UOG</b>	unconventional oil and gas
<b>SMR</b>	steam methane reforming	<b>URCI</b>	universal remote circuit interrupter
<b>SNCR</b>	selective non-catalytic reduction	<b>USB</b>	universal serial bus
<b>SNL</b>	Sandia National Laboratory	<b>USDA</b>	U.S. Department of Agriculture
<b>SNS</b>	Spallation Neutron Source	<b>USGS</b>	U.S. Geological Survey
<b>SO<sub>2</sub></b>	sulfur dioxide	<b>UV</b>	ultraviolet
<b>SOC</b>	state-of-charge	<b>V&amp;V</b>	verification and validation
<b>SOFC</b>	solid oxide fuel cell	<b>V2B</b>	vehicle-to-building
<b>SO<sub>x</sub></b>	sulfur oxides	<b>V2G</b>	vehicle-to-grid
<b>SPP</b>	Strategic Partnership Projects	<b>V2I</b>	vehicle-to-infrastructure
<b>SRF</b>	superconducting radio frequency	<b>V2V</b>	vehicle-to-vehicle
<b>SSDT</b>	solid state distribution transformer	<b>VAR</b>	volt-ampere reactive
<b>SSRLS</b>	Stanford Synchrotron Radiation Light Source	<b>VERA</b>	Virtual Environment for Reactor Application
<b>SST</b>	solid-state transformer	<b>VFD</b>	variable frequency drive
<b>ST</b>	steam turbine	<b>VOC</b>	volatile organic carbon
<b>STP</b>	set top boxes (for TVs)	<b>VOCs</b>	volatile organic compounds
<b>SubTER</b>	Subsurface Technology and Engineering Research	<b>VVO</b>	volt/volt ampere reactive optimization
<b>SUPER</b>	Institute for Sustained Performance, Energy, and Resilience	<b>W/kg</b>	watts per kg
<b>T&amp;D</b>	transmission and distribution	<b>WACC</b>	weighted average capital cost
<b>TB</b>	terabyte	<b>WAG</b>	water-alternating-gas
<b>TBtus</b>	trillion British thermal units	<b>WBG</b>	wide bandgap
<b>TCEP</b>	Texas Clean Energy Project	<b>Wh/kg</b>	watt-hours per kg
<b>Tcf</b>	trillion cubic feet	<b>Wh/l</b>	watt-hours per liter
<b>TEDF</b>	Technology and Engineering Development Facility	<b>WHP</b>	waste heat to power
<b>TEG</b>	thermoelectric generators	<b>WHR</b>	waste heat recovery
<b>TI</b>	technology innovation	<b>WNUF</b>	Wireless National User Facility
<b>TJNAF</b>	Thomas Jefferson National Accelerator Facility	<b>ZNE</b>	residential zero-net-energy customer
<b>TMF</b>	The Molecular Foundry		
<b>TR</b>	technology roadmapping		
<b>TRLs</b>	Technology Readiness Levels		
<b>TWh</b>	terawatt-hour		



# List of Figures

Figure Number and Title	Page
<b>Executive Summary</b>	
<b>Figure ES.1</b> Sankey Diagram of the U.S. Energy System Depicting Major Areas of Coverage by the Technical QTR Chapters 3–8	4
<b>Chapter 1</b>	
<b>Figure 1.1</b> The Sankey Diagram depicts the flow of energy resources (left) to end-use sectors (right)	12
<b>Figure 1.2a</b> U.S. Primary Energy (a) Supply and (b) Consumption in the End Use Sectors	13
<b>Figure 1.2b</b> U.S. Electric Power by (a) Total Primary Input and Electricity Generation by Source; and (b) Electricity End Use by Sector	13
<b>Figure 1.3a</b> Building Sector Energy by (a) Primary Energy Supply and (b) Energy End Uses as a percent of total U.S. building energy supply and use	14
<b>Figure 1.3b</b> Industry Sector Energy by (a) Primary Energy Supply and (b) Energy End Uses and as a percent of total U.S. industry energy supply and use	14
<b>Figure 1.3c</b> Transportation Sector Energy by (a) Primary Energy Supply and (b) Energy End Uses and as a percent of total U.S. transportation energy supply and use	14
<b>Figure 1.4</b> U.S. Primary Energy Use over Time in Quads	15
<b>Figure 1.5</b> EIA Projections for Growth of Energy Demand (in quads) in OECD and Non-OECD Markets to 2040	18
<b>Figure 1.6</b> Energy Prices by Year for the Coal, Natural Gas, and Oil Markets	20
<b>Figure 1.7</b> U.S. CO <sub>2</sub> Emissions by (a) Primary Energy Source as a percent of total U.S. energy-related CO <sub>2</sub> Emissions (in million metric tonnes); and (b) End Use Sector	22
<b>Figure 1.8</b> Percentage of Gross Sales Invested in R&D for Selected Sectors of the U.S. Economy and U.S. Clean Energy Venture Capital Investment	24
<b>Figure 1.9</b> Learning Curves for Selected Technologies	25
<b>Chapter 2</b>	
<b>Figure 2.1</b> Multiple Scales of the Integrated Electrical System	39
<b>Figure 2.2</b> Potentially Net-Negative Carbon Flows in a Hybrid Polygeneration CBTLE-CCS System	42
<b>Chapter 3</b>	
<b>Figure 3.1</b> Estimated U.S. Energy Use in 2014	54





<b>Figure 3.2</b> Traditional Electricity Delivery System	55
<b>Figure 3.3</b> Evolution of the Electric Power Grid	56
<b>Figure 3.4</b> Spending on Smart Grid Technologies 2008–2013, with Projections to 2017	58
<b>Figure 3.5</b> Comparison between Voltage Signals from the Event as Captured by SCADA versus PMU Data for Western Electricity Coordinating Council Wind Farm Oscillations	58
<b>Figure 3.6</b> Weather-Related Grid Disruptions, 2000–2012	59
<b>Figure 3.7</b> Example of Analysis using Synchrophasor Data: August 14, 2003 Blackout	61
<b>Figure 3.8</b> Illustrative Sequence of Cascading Events in the 2011 Southwest Blackout	62
<b>Figure 3.9</b> California ISO Projected Electricity Supply	63
<b>Figure 3.10</b> Comparison of Key Attributes of Current and Future Systems	64
<b>Figure 3.11</b> Grid Architecture Structure Types	65
<b>Figure 3.12</b> Fundamental Changes in Power System Characteristics	66
<b>Figure 3.13</b> Data Flows from Transmission Owners to Regional Hubs, Between Reliability Coordinators, and Between Transmission Operators	70
<b>Figure 3.14</b> Pathway to Speed Improvements in Analytical Decision Making	71
<b>Figure 3.15</b> Times Associated with Clearing a Fault	72
<b>Figure 3.16</b> Stages of Adoption of Transactive Operations for Industry	74
<b>Figure 3.17</b> Excessive Transformer Heating from Reversed Power Flows	75
<b>Figure 3.18</b> Conceptual Diagram for Solid-State Distribution Transformer Function	76
<b>Figure 3.19</b> Different Microgrid Configurations	81
<b>Figure 3.20</b> Applications of Electric Energy Storage Technologies	82
<b>Figure 3.21</b> Scales of Power Systems Operations and Planning	85
<b>Figure 3.22</b> 2014 Reported Power Outages by Eight Possible Causes	87
<b>Figure 3.23</b> Cross-Organizational Chain of Trust	90
<b>Chapter 4</b>	
<b>Figure 4.1</b> Requirements and criteria have expanded over time.	103
<b>Figure 4.2</b> SaskPower Boundary Dam CCS Project: Pushing CCS Forward Internationally	104
<b>Figure 4.3</b> Southern Company Kemper Project	105
<b>Figure 4.4</b> Potential for Bringing Down Nth-of-a-Kind Cost Compared to First-Generation CCS Technology	106
<b>Figure 4.5</b> Cost Projections for Advanced Fossil-CCS Plants	108
<b>Figure 4.6</b> Regional Carbon Sequestration Partnerships	109
<b>Figure 4.7</b> U.S. Nuclear Capacity and Generation Since 1980	112
<b>Figure 4.8</b> Core Damage Frequency (CDF) Estimates of U.S. Reactor Types	113
<b>Figure 4.9</b> Land-Based Wind Changes in LCOE by Sensitivity	120

<b>Figure 4.10</b> Offshore Wind Changes in LCOE by Sensitivity	121
<b>Figure 4.11</b> Scale of Biopower Plants in the United States	122
<b>Figure 4.12</b> Biomass Gasification with CO <sub>2</sub> Capture and Combined-Cycle Power Generation	124
<b>Figure 4.13</b> Utility PV Cost Reductions Since 2010 and Required Reductions for Cost Competitiveness	125
<b>Chapter 5</b>	
<b>Figure 5.1</b> Buildings Use More Than 38% of all U.S. Energy and 76% of U.S. Electricity	145
<b>Figure 5.2</b> Use of ENERGY STAR® technologies would reduce residential energy consumption 30%, best available technology 50%, goals of ET 52% and theoretical limits 62%.	146
<b>Figure 5.3</b> Use of ENERGY STAR® technologies would reduce commercial energy consumption 21%, best available technology 46%, goals of ET 47% and theoretical limits 59%.	146
<b>Figure 5.4</b> Only 44% of the energy in sunlight is visible light.	149
<b>Figure 5.5</b> Types of Building Heating Equipment	152
<b>Figure 5.6</b> Use of the most efficient wall, window, and HVAC equipment now available could reduce residential cooling 61%.	155
<b>Figure 5.7</b> Use of the most efficient wall, window, and HVAC equipment now available could eliminate residential heating.	155
<b>Figure 5.8</b> Use of the most efficient wall, window, and HVAC equipment now available could reduce commercial cooling 78%.	156
<b>Figure 5.9</b> Use of the most efficient wall, window, and HVAC equipment now available could reduce commercial heating 77%.	156
<b>Figure 5.10</b> Most light fixtures are in residences, but the bulk of lighting energy is in commercial buildings.	158
<b>Figure 5.11</b> The efficiency of the human eye is highest for green light at 683 lumens per watt.	159
<b>Figure 5.12</b> Energy Savings from Lighting Retrofits	161
<b>Figure 5.13</b> The price and performance of LEDs have steadily improved since 2009.	162
<b>Figure 5.14</b> A combination of improved lighting devices and controls meeting 2020 program goals (ET) can reduce residential lighting energy 93% of the theoretical limit.	163
<b>Figure 5.15</b> A combination of improved lighting devices and controls meeting 2020 program goals (ET) can reduce commercial lighting energy 81% of the theoretical limit.	163
<b>Figure 5.16</b> The “other” category of demand in buildings is created by a huge variety of devices—many of which are miscellaneous electric loads.	167
<b>Figure 5.17</b> Future grid systems and smart building controls can communicate in ways that improve overall system efficiency and reliability.	169
<b>Figure 5.18</b> More than seven quads of energy could be saved in buildings by cost effective technologies by 2030.	173
<b>Chapter 6</b>	
<b>Figure 6.1</b> Manufacturing Share of the Nation's Overall Energy Consumption and Breakdown of Manufacturing Primary Energy Consumption by Subsector (2010)	183
<b>Figure 6.2</b> Levels of System Integration in Manufacturing	184



<b>Figure 6.3</b> Constellation Diagram Showing Connections Between the Fourteen Manufacturing Technologies Analyzed in Technology Assessments	185
<b>Figure 6.4</b> Sankey Diagram of Primary Energy Flow in the U.S. Manufacturing Sector (2010)	187
<b>Figure 6.5</b> Sankey Diagram of U.S. Manufacturing Sector Process Energy Flow in 2010	187
<b>Figure 6.6</b> Projected Annual Energy Savings (TBtu/year) for Fleet-wide Adoption of Additive Manufactured Components in Aircraft, Assuming Slow, Midrange and Rapid Adoption Scenarios	194
<b>Figure 6.7</b> Delphi Diesel Engine Pump Housing Fabricated via Selective Laser Melting	195
<b>Figure 6.8</b> Bandwidth Diagrams Illustrating Energy Savings Opportunities in Four Energy-Intensive U.S. Manufacturing Industries	196
<b>Figure 6.9</b> CHP systems produce thermal energy and electricity concurrently from the same energy input, and can therefore achieve higher system efficiencies than separate heat and power systems.	197
<b>Figure 6.10</b> Theoretical Efficiencies (electric generation only) for Various CHP Configurations, Ranging from Single-Cycle Systems to Double- and Triple-Cycle Systems that Make Use of Multiple Generation Technologies	198
<b>Figure 6.11</b> Medium-term (from 2015 to 2025) Criticality Matrix for Elements Important to Wind Turbines, Electric Vehicles, Photovoltaic Cells, and Fluorescent Lighting	206
<b>Figure 6.12</b> Energy Savings Opportunities for One Pound of Carbon Fiber Reinforced Polymer Composite, Broken Down by Subprocess	214
<b>Figure 6.13</b> Potential Cost Reduction Strategies for Composite Overwrapped Pressure Vessels to Meet the 2020 U.S. DRIVE Cost Target	214
<b>Chapter 7</b>	
<b>Figure 7.1</b> Sankey Diagram of Transportation Fuel Use	227
<b>Figure 7.2</b> Shale Resources Remain the Dominant Source of U.S. Natural Gas Production Growth	230
<b>Figure 7.3</b> Expected Gains in Tight Oil Production Drive Projected Growth in Total U.S. Crude Oil Production	230
<b>Figure 7.4</b> BP Deepwater Horizon Oil Spill April 20, 2010	231
<b>Figure 7.5</b> Gas Hydrate Resource Pyramid	234
<b>Figure 7.6</b> Emerging Issues of UOG Development	235
<b>Figure 7.7</b> Overall Pathway for Production of Fuels from Biomass	241
<b>Figure 7.8</b> R&D options are available to address most products from the whole barrel of oil.	242
<b>Figure 7.9</b> Life-Cycle Greenhouse Gas Emissions of Selected Pathways	243
<b>Figure 7.10</b> Total Estimated Sustainable Bioenergy Resource Potential Supply Curve at Marginal Prices Between \$20 and \$200 per Dry Metric Ton in 2022	243
<b>Figure 7.11</b> Growth in U.S. Ethanol Production Capacity	245
<b>Figure 7.12</b> Historical and Projected Volumes of Biomass Available at a Delivered Cost of \$80/Dry Metric Ton for Various Biomass Types, Accommodating Multiple Conversion Processes	246
<b>Figure 7.13</b> Historical and Projected Delivered Woody Feedstock Costs, Modeled for Pyrolysis Conversion	247

<b>Figure 7.14</b> Correlation Between Lignin and Energy Content in Biomass Samples	248
<b>Figure 7.15</b> Conversion Pathways from Feedstock to Products	250
<b>Figure 7.16</b> Cost Projection Breakdown for the Fast Pyrolysis Design Case, 2009–2017	251
<b>Figure 7.17</b> Producing oxygenated chemicals from olefins involves increasing the molecular weight via oxidation.	253
<b>Figure 7.18</b> Hydrogen Offers Important Long-Term Value as a Clean Energy Carrier	256
<b>Figure 7.19</b> Existing Centralized Hydrogen Production Facilities in the United States	257
<b>Figure 7.20</b> Many possible pathways for production and delivery of hydrogen exist.	258
<b>Figure 7.21</b> Hydrogen Production and Delivery RDD&D Priorities and Key Focus Areas	259
<b>Figure 7.22</b> Current Range of Hydrogen Production Costs	261
<b>Figure 7.23</b> RDD&D Timeline for Hydrogen Production and Delivery	263
<b>Chapter 8</b>	
<b>Figure 8.1</b> Composition of 2014 Energy Use in Transportation	277
<b>Figure 8.2</b> Well-to-Wheels Petroleum Use and GHG Emissions for 2035 Mid-Size Cars	279
<b>Figure 8.3</b> Potential Benefits of Advanced Transportation Technologies	280
<b>Figure 8.4</b> Overview of Key Transportation Technologies and Performance Targets Based on DOE Assessment of Current RDD&D Activities	282
<b>Figure 8.5</b> Catalyzed Particulate Filter Air Flow Modeling	284
<b>Figure 8.6</b> Complex In-cylinder Flow During Intake Stroke in Diesel Engine	285
<b>Figure 8.7</b> Vehicle-level Technology Contributions to Efficiency	288
<b>Figure 8.8</b> Trends of Lightweight Materials Use in Vehicles	290
<b>Figure 8.9</b> Weight Reduction Opportunities if the Indicated Material was Applied to the Greatest Extent Possible	292
<b>Figure 8.10</b> Battery Performance Advancements that are Needed to Enable a Large Market Penetration of PEVs	293
<b>Figure 8.11</b> Modeled Cost and Energy Density of PEV Batteries Developed and Tested	294
<b>Figure 8.12</b> Advanced Battery Technology Low-cost Pathway	295
<b>Figure 8.13</b> Schematic Diagram of a PEV	297
<b>Figure 8.14</b> Breakdown of the 2014 Projected Fuel Cell Stack Cost at 1,000 and 500,000 Systems Per Year	301
<b>Figure 8.15</b> Fuel Cell Performance Advancements Needed to Enable a Large Market Penetration of FCEVs	302
<b>Figure 8.16</b> Energy per Passenger-mile by Mode in 2002 and 2012 with Percent Change from 2002 to 2012 Shown Above the 2012 Bars	306
<b>Figure 8.17</b> Transportation as a System of Systems	311



## Chapter 9

- Figure 9.1** Locations of Current Energy Frontier Research Centers (EFRC) and Partnering Institutions 324
- Figure 9.2** The structure of four representative MOFs demonstrates the large diversity within this class of materials. 325
- Figure 9.3** (a) A solar fuel-generating device would mimic the natural photosynthesis carried out in a leaf, capturing solar energy and converting it into chemical energy stored as a liquid fuel. (b) The titanium dioxide ( $\text{TiO}_2$ ) protective layer stabilizes the silicon photoanode against corrosion so that hydroxide ions ( $\text{OH}^-$ ) in the electrolyte can be continuously oxidized to oxygen gas ( $\text{O}_2$ ). 327
- Figure 9.4** Optimization of microbial metabolism leads to enhanced production of advanced biofuels such as isopentenol. 328
- Figure 9.5** (a) Formation and destruction of the resonance stabilized QOOH ( $\text{c-C}_7\text{H}_9\text{O}_2$ ) radical intermediate. 333
- Figure 9.6** (a) The 132-meter LCLS Undulator Hall (b) Artists concept showing a CO molecule made of a carbon atom (black) and an oxygen atom (red), reacting with an oxygen atom. 335
- Figure 9.7** Neutron tomographic imaging techniques available at the DOE-SC neutron scattering scientific user facilities SNS (a) and HFIR (c) were used by Morris Technologies to evaluate internal stresses in turbine blades produced by additive manufacturing (b). 337
- Figure 9.8** Nanocrystals of indium tin oxide (blue) embedded in a glassy matrix of niobium oxide (green) form a composite material that can switch between visible or near-infrared light transmitting and blocking states by application of an electric potential. 339
- Figure 9.9** Control of the synthesis results in a diversity of self-assembled structures formed by sticky epoxy droplets: (a) array of “mushrooms,” (b) wavy colloidal “fur,” (c) dense fiber network, and (d) a 3D reconstruction of the dense fiber network. 341
- Figure 9.10** (a) Samples for metagenomic analyses collected from numerous sites across the globe and sequenced at the JGI have detected numerous previously unknown microbial species. (b) The results shine a metagenomic spotlight on previously unknown areas of the phylogenetic tree, thereby broadening our view of the diversity of the microbial world. 343
- Figure 9.11** (a) Under normal conditions, a cloud droplet (and cloud ice particle) requires a microscopic particle on which water vapor can condense. It was assumed that only a small fraction of airborne particles have the right chemistry and/or geometry to condense water vapor. (b) Using samples collected by the DOE ARM facility and chemical imaging and micro-spectroscopic techniques at the EMSL, it was discovered that nearly all classes of particles can serve as cloud condensation nuclei for droplet and ice but with variation in formation efficiency that depends on organic coatings. This new information will be used to improve model parameterizations and reduce uncertainties in climate predictions. 345
- Figure 9.12** Analysis of an eleven-year record of spectral radiance data from ARM sites in Oklahoma and Alaska confirmed theoretical predictions that higher concentrations of atmospheric  $\text{CO}_2$  result in increased absorption of infrared energy, and hence atmospheric warming. Until now, the measurement accuracy combined with the length of the data record was inadequate to “prove” beyond doubt that increasing  $\text{CO}_2$  must relate to global warming via infrared heating, thus making this analysis groundbreaking. (a) The ARM Oklahoma site. (b) One of the two AERIs that were used to collect the eleven-year data record at both sites. 347
- Figure 9.13** The semiconductor indium nitride, which typically emits infrared light, will emit green light if reduced to a one nanometer-wide wire. 350
- Figure 9.14** The features and implied energy prices of the stochastic programming formulation is shown for the state of Illinois. 352

<b>Figure 9.15</b> Dresser-Rand is simulating equipment that could enable CCS at a significantly lower cost than that offered by conventional equipment. Below is a visualization from a simulation of NASA Glenn Research Center’s transonic fan stage experiment prior to stall.	353
<b>Figure 9.16</b> The CSPAD camera at the LCLS produces 150 TB molecular “snapshots.”	355
<b>Figure 9.17</b> Using VERA, CASL investigators successfully performed full core physics power-up simulations (right) of the Westinghouse AP1000 PWR core.	356
<b>Figure 9.18</b> The BELLA laser (a) is a Ti:Sapphire chirped-pulse amplification laser capable of pulsed peta-watt level peak power at a frequency of a single hertz. The work was selected as one of ten Best Physics Papers of 2014 by Scientific American. Simulations (b) run at NERSC show a laser plasma wakefield as it evolves in a nine-centimeter long tube of plasma. The charge “wake” (three are shown) allows electrons to “ride” the wake to greater and greater energies.	360
<b>Figure 9.19</b> Optical fibers give off a green glow as they carry light pulses from the scintillator material to an external photomultiplier counting array in the wavelength-shifting optical fiber neutron detector.	362
<b>Figure 9.20</b> The EMIS for Stable Isotope Enrichment at ORNL	364
<b>Figure 9.21</b> (a) Inside the DIII-D Tokamak. (b) The position of approximately one hundred magnetic sensors (red dots) recently installed around the plasma. (c) Simulations of the cross-section of the DIII-D plasma show the response typical of non-suppression (c, left) and ELM suppression (c, right), in agreement with experimental measurements.	365
<b>Chapter 10</b>	
<b>Figure 10.1</b> Overall Flowchart of the RDD&D Decision-Making Process	380
<b>Figure 10.2</b> Illustrative Comparison of Life-Cycle GHG Emissions of Various Electricity Generation Technologies	385
<b>Figure 10.3</b> Life Cycle Water Consumption Estimates for Various Electricity Generation Technologies	387
<b>Figure 10.4</b> Critical Materials in the Medium Term (2015–2025)	390
<b>Figure 10.5</b> Example of Options Space Visualization for the Electricity Sector	392
<b>Figure 10.6</b> Stabilization Wedges Concept	393
<b>Figure 10.7</b> Efficiency Supply Curve for Baseline Assumptions in 2030 for Selected Building Technologies	400
<b>Figure 10.8</b> Examples of techniques for displaying multiple metrics simultaneously include (a) radar plot and (b) color-coded stop light matrix.	402



# List of Tables

Table Number and Title	Page
<b>Chapter 1</b>	
<b>Table 1.1</b> Changes in Energy Supply and End-Use Demand from 2010 through 2014	18
<b>Chapter 2</b>	
<b>Table 2.1</b> Crosscutting Technology Table	46
<b>Chapter 3</b>	
<b>Table 3.1</b> Moving from Traditional to Modern Electric Power Systems—RDD&D Needs	68
<b>Table 3.2</b> Key Monitoring and Control Attributes for the Evolving Power System	69
<b>Table 3.3</b> Estimated Number of Nodes/Control Points per Entity Type	73
<b>Table 3.4</b> Cost and Performance Targets for Electric Energy Storage Technologies	83
<b>Table 3.5</b> Cybersecurity R&D Parameters	89
<b>Table 3.6</b> Fundamental Changes in Power System Characteristics	93
<b>Table 3.7</b> Summary of RDD&D Opportunities	94
<b>Chapter 4</b>	
<b>Table 4.1</b> Electric Power Capacity and Production, 2010 and 2014	102
<b>Table 4.2</b> Nuclear Power Capacity and Production, 2010 and 2014	111
<b>Table 4.3</b> Technical Challenges for Fuel Cell Types	129
<b>Table 4.4</b> Cost Targets versus Current Status – Medium-Scale (0.2–5 MW) Fuel Cells	129
<b>Table 4.5</b> Opportunities in Clean Electric Power Technology Development	137
<b>Chapter 5</b>	
<b>Table 5.1</b> Sample ET Program 2020 Goals	147
<b>Table 5.2</b> Energy Flows in Building Shells	148
<b>Table 5.3</b> Non-Vapor Compression Heat Pump Technologies	153
<b>Table 5.4</b> LED Efficiencies	162
<b>Table 5.5</b> Computers and Electronic Devices	165
<b>Table 5.6</b> Efficiencies of Electrical Devices	166
<b>Table 5.7</b> Fundamental Research Challenges	174
<b>Table 5.8</b> Increasing Efficiency of Building Systems and Technologies	175





## Chapter 6

<b>Table 6.1</b> Characteristics of Common Industrial Processes that Require Process Heating	188
<b>Table 6.2</b> RDD&D Opportunities for Process Heating and Projected Energy Savings	189
<b>Table 6.3</b> Energy Use of Major Motor-Driven Systems in U.S. Manufacturing	190
<b>Table 6.4</b> 2010 Production, Calculated Onsite Energy Consumption, and Energy Savings Potential for Eleven Chemicals	192
<b>Table 6.5</b> Additive Manufacturing Process Technologies and Materials Compatibilities	194
<b>Table 6.6</b> Life-Cycle Energy Comparison for an Aluminum Diesel Engine Pump Housing Manufactured via Gravity Die Casting and Selective Laser Melting	195
<b>Table 6.7</b> Technical Potential and Energy and Cost Savings for High Power-to-Heat CHP Operation	198
<b>Table 6.8</b> Strategic R&D Opportunities and Performance Targets for CHP	199
<b>Table 6.9</b> Examples of Manufacturing Technologies with Strong Potential for Life-Cycle Impacts	205
<b>Table 6.10</b> Key Elements for Energy-Related Technologies	207
<b>Table 6.11</b> Current Energy Demands for Primary and Secondary Aluminum Ingot	208
<b>Table 6.12</b> Estimate of Waste Heat that Could be Recovered with Thermoelectric Technology for Various Process Industries	210
<b>Table 6.13</b> Materials Challenges and Energy Savings Opportunities for Selected Harsh Service Conditions Application Areas	211
<b>Table 6.14</b> Energy Savings Opportunities for Selected Application Areas	212
<b>Table 6.15</b> Manufacturing Technologies Assessed in QTR Chapter 6: Innovating Clean Energy Technologies in Advanced Manufacturing	216

## Chapter 7

<b>Table 7.1</b> Market Size of U.S. Liquid Fuels and Products	229
<b>Table 7.2</b> Emerging Issues Around Hydrocarbon Production	235
<b>Table 7.3</b> Current and Future Potential Impacts of the Bioeconomy	244
<b>Table 7.4</b> Summary of Cost Contributions (\$/gallon of product) for the Algal Lipid Upgrading Design	249
<b>Table 7.5</b> Timing for Research Needs and Priorities	255
<b>Table 7.6</b> Hydrogen Delivery Cost as a Function of Dispensed Gas Pressure and Delivery Pathway as Reported from the Hydrogen Delivery Scenario Analysis Model	262
<b>Table 7.7</b> Summary of RDD&D Opportunities	269

## Chapter 8

<b>Table 8.1</b> Annual Petroleum Use and Emissions by Mode (2012)	278
<b>Table 8.2</b> Combustion and Vehicle Efficiency Impact Summary	283
<b>Table 8.3</b> Fuel-Vehicle Co-optimization Impact Summary (LDV combustion)	285
<b>Table 8.4</b> Fuel-vehicle Co-optimization Impact Summary (Lightweighting)	289

<b>Table 8.5</b> Materials Properties, Cost, and Lightweighting Potential Relative to Mild Steel	290
<b>Table 8.6</b> Vehicle Weight in a Typical Mid-size Passenger Car Without Passengers or Cargo	291
<b>Table 8.7</b> Plug-in Electric Vehicle Impact Summary	293
<b>Table 8.8</b> Fuel Cell Electric Vehicle Impact Summary	300
<b>Table 8.9</b> Status and Targets for Automotive Fuel Cell System	302
<b>Table 8.10</b> Hydrogen Storage Targets for FCEVS and Projected Hydrogen Storage System Performance for Type IV Tanks and Materials-Based Systems	304
<b>Table 8.11</b> Estimated Possible Energy Intensity Gains Through 2050 in Other Modes	307
<b>Chapter 9</b>	
<b>Table 9.1</b> Current List of DOE Designated User Facilities	330
<b>Table 9.2</b> A Subset of More Than One Hundred Shared R&D Facilities Currently Operating at DOE National Laboratories	332
<b>Table 9.3</b> 2015 ALCC Awards Relevant to Energy Technology	351
<b>Chapter 10</b>	
<b>Table 10.1</b> National Average Energy Efficiencies, Technology Shares for Each Fuel Type, and Criteria Air Pollutant Emission Factors of the U.S. Power Sector in 2010	386
<b>Table 10.2</b> Representative Land Use Energy Intensity Estimates for a Variety of Electricity Generating Technologies	388
<b>Table 10.3</b> Range of Material Requirements for Select Passenger Car Technologies	389
<b>Table 10.4</b> Range of Materials Requirements for Various Electricity Generation Technologies	390
<b>Table 10.5</b> Portfolio-Level Questions	403
<b>Table 10.6</b> Representative Criteria and Decision Questions for Systems/Technologies	403
<b>Table 10.7</b> Representative Dynamic Factors Impacting Technology RDD&D and Questions	404
<b>Table 10.8</b> Representative Metrics for Evaluating Energy Technology RDD&D	405
<b>Table 10.9</b> Notional Times Required for Stages of RDD&D	406

